

American Dairy Science Association  
American Society of Animal Science

## Subject Index

Abstract numbers preceded by T are Tuesday posters, numbers preceded by W are Wednesday posters, and numbers preceded by TH are Thursday posters; all other numbers indicate oral abstracts.

- A**  
AAT/PBV system, TH268  
Abomasal infusions, TH234  
Abortion frequency, T21  
Abscess, TH6  
Absorption, TH93, 68, 69  
*Acacia mangium*, W91  
Acclimation, 375, 376  
Acclimatization, T282  
Accuracy, 349  
Accuracy of proofs, 619  
ACE-I peptides, 423  
Acetate, TH68  
N-Acetyl-cysteine, 567  
Acid-base balance, 357, 789  
Acid-base equilibrium, 790  
Acid resistance, 45  
Acidifier, 707  
Acidogenic, 357  
Acidomatrix, 699  
Acidosis, 39, 76, 339, 608, 791, 792  
Active dry yeast, W203  
Active nutrient transport, 698  
Acute lung inflammation, TH8  
Acute phase protein, 390  
Acute phase response, W27  
Ad libitum feeding, 547  
Adaptation, 23  
Additive, T94, TH224  
Adenosine triphosphatase myofibrillar, T121  
Adhesion, T248  
Adipocytes, T169, 122, 664  
Adipokines, TH164  
Adiponectin, T175, 71, 72  
Adipose, 70, 280, 281  
Adipose tissue, TH58, 63  
Adjacent monocultures, TH39  
Adjusted weaning weight, T62  
Adjustment factor, 14  
Admixed populations, 407  
 $\beta$ -Adrenergic receptors, 460  
Adsorbents, W213  
Adsorption isotherm, W72  
Advising, 501  
Aerobic stability, T89, T92, T93  
Aflatoxin, W213, W222  
African stargrass, W107  
African wildcat, 178  
Age at first calving, W148  
Age at sexual maturity, W29  
Age at the fattening period, T106  
Aggression, 381, 382  
Aging, T125, 78  
 $\beta$ -Agonists, W259  
Agricultural by-products, W230  
Agricultural teaching and extension, TH100  
Alcohol, T261, W220, W229  
Alfalfa, T78, T79, T201, 183, 184, 185, 186  
Alfalfa hay, W257, TH246, 91  
Alignment, 258  
n-Alkanes, TH52  
Allele frequency, 522  
Alpine pasture, W99  
Alternative dewormer, T270  
Alternative feed, T250, T251  
Alternative methods, 419  
Amino acid, T136, T199, T237, W61, W62, W124, W288, TH257, 56, 201, 202, 221  
Amino acid digestibility, T146, W136, TH268, 588  
Amino acid metabolism, 76  
Amino acid supplementation, W237  
Amino acid transporter, TH157, TH158, TH160, 288, 289  
 $\delta$ -Aminolevulinic acid, T153, T154  
Amish, TH88  
Ammonia, W128, W177, TH263, 204, 310, 703  
Ammonia emissions, TH256, 591  
Ammonia losses from manure, 307  
AMPK, T169, 277  
Amylase, W204, W226  
Anabolic steroid, TH76, TH77  
Anaerobic digestion, 305  
Analysis, 602  
Anatomy, T293  
Ancylostoma, W58  
Anemia, 303  
Angiogenesis, TH110  
Angiogenic factors, 472  
Animal behavior, TH37  
Animal breeder, 169  
Animal breeding, 172, 627  
Animal ethics, 256  
Animal health, T71  
Animal performance, TH81, 305, 545  
Animal research, 416  
Animal science, 164, 255, 362, 377, 400, 401, 508, 605  
Animal use, 257  
Animal welfare, 243, 244, 255, 257, 377, 519, 520, 675  
Anionic salts, TH241  
Ant colony, 262  
Ant colony algorithm, T37, 525  
Anthelmintic, T270, 159  
Antiadhesion, TH7  
Antibiotic resistance, 395, 396, 709  
Antibiotics, T72, W130, 336, 397  
Antibodies, W10, W26, W260, W272, W273  
Antigen-releasing device, T171  
Antiinflammation, 610  
Antimicrobial, T10, T12, 121  
Antimicrobial activity, 26  
Antioxidant, T203, W207, TH29, 302, 333, 446, 469, 567  
Antioxidant micronutrients, 467  
Apoptosis, 452  
Apparent digestibility, W240, W241, 92  
Appetite-regulating hormones, 435  
Apple pomace, W111, W113  
Apple waste, W112  
Application, 398  
Applied behavior, 377  
Applied reproduction, 33  
Arginine, TH58  
Argonaute, W299  
Artificial insemination, TH175, TH176, 11, 603, 652, 718, 722  
Artificial insemination industry, 33  
ASAS, 402  
Assurance programs, 519  
Asymmetry, W52  
AT-ODN, 22  
Audience, 659  
Aujesky's disease, W298  
Aureomycin, W6  
Authenticity, TH28  
Automatic milking system, 12  
Autosort, 378  
Availability, W114  
*Avena sativa*, W104, W105  
Average daily gain, 748  
Avian nutrition, 635  
Avian species, T36  
**B**  
B vitamins, TH239  
*Bacillus*, T139, T164  
Backgrounding diets, 726  
Bacteria, T74, T100, 340, 653  
Bacterial contamination, W174  
Bacterial growth, T159  
Bacterial peptidases, W75  
Bacteriocin, 157  
Banamine, 235  
Banana plant, TH215  
Barley, T137, T190, TH217  
Barley grain, T233, 584  
Barley straw, TH286, TH287  
Barley variety, T194, W227  
Barrier function, 595  
Bayesian, W45  
Bayesian analysis, W41, 406  
Bayesian inference, T35  
Bedding, TH143, 551  
Bedding material, W180  
Bedding treatment, W179  
Beef, T62, T287, W23, TH71, TH72, TH213, TH232, 4, 61, 64, 147, 150, 373, 404, 410, 462, 464, 465, 599, 623, 638, 652, 691, 727, 804  
Beef calf, W263, 392, 576  
Beef cattle, T117, T247, W18, W36, W261, W267, W269, W270, TH40, TH218, TH226, TH228, 5, 148, 149, 273, 403, 412, 432, 436, 624, 629, 651, 746, 747, 748, 749, 750, 753, 756, 768, 789  
Beef cow, W44, W162, W166, W170, TH165, TH225, TH229, 97  
Beef heifer, W163, W168, TH41, TH198, TH199, 717  
Beef model, W182  
Beef quality, T60, 146  
Beef quality audit, W23  
Beef round, T126  
Beef steer, W242, TH219  
Beet pulp, T190  
Behavior, W178, TH4, TH38, TH208, TH227, 240, 242, 320, 578, 754  
Belly, T113  
Belly flop, T112  
Benzoic acid, 705  
Bermudagrass, T81, T284  
Betaine and CLA, T108, W136  
*Bifidobacterium*, 45, 425  
*Bifidobacterium animalis* ssp. *lactis*, 44  
Binder, W222  
Binding, W86  
Bioactive peptides, W75  
Bioavailability, TH126, 109, 196, 210  
Bioenergetics, 215  
Bioethics, 166, 167, 168, 255, 256, 257, 258  
Biofuel, 151

- Biofuel co-products, 784  
 Biohydrogenation, T238, T249, T256, T257, W207, 329  
 Biophotonics, T3, 573  
 Biopsy, TH115  
 Biosecurity, 142  
 Biotechnology, W183, TH17, 672  
 Biotite, T148  
 Birth weight, T176, 760  
 Bite rate, TH203  
 Blending, 140  
 Bloat, W247, 383, 608  
 Block-type process cheese, T47  
 Blood acid-base balance, TH233  
 Blood and milk, T171  
 Blood gas, W4, W272  
 Blood immunological, T144  
 Blood indexes, T224  
 Blood metabolites, 741  
 Blood parameters, TH214  
 Blood profile, T142  
 Boar, W56, TH170, 569  
 Boar production, 296  
 Boar stud, 650  
 Boar taint, 355  
 Boar taint detection, T105  
 Body, 141  
 Body composition, T176, T276, T277, T281, TH64, 352, 770, 796  
 Body condition score, W189, 741  
 Body condition scoring, 656  
 Body conformation, W300  
 Body measurement, W42, W47, TH86  
 Body structure, 534  
 Body temperature, T5, TH207, 86, 389  
 Body weight, W122, 532  
 Boer cross, W239  
 Bolus particles, 813  
 Bone, 445  
 Bone growth, TH237  
 Bone lacunae, T253  
 Bonnier's equation, W142  
 Bootstrap, 117  
 Boric acid, W177  
*Bos indicus*, T119, TH214, TH231, 715, 719  
 Bottom-up approach, T30  
 Bovine, T34, T186, W143, TH12, TH74, TH75, TH177, TH244, 3, 664, 665  
 Bovine  $\alpha_{S1}$ -casein, 453  
 Bovine embryo, TH181  
 Bovine milk, 614  
 Bovine respiratory disease, W4, W54, 390, 391, 393, 746  
 Bovine temperament, 374, 578  
*Brachiaria brizantha*, 438  
 Brahman, 74  
 Brahman bull, 317  
 Brahman crossbred cow, 376  
 Brahman crossbred heifer, W154, 375  
 Brain, W55  
 Bratwurst, TH150  
 Bread, W112  
 Breed, W17, 291, 669  
 Breed effects, 630  
 Breeding, 8, 173, 498  
 Breeding and genetics, 170, 622  
 Breeding management, 713  
 Breeding season, TH198, TH199  
 Breeding value, W32, W36  
 Breeding value estimation, 523  
 Breeds, TH277  
 Brewers grain, TH142  
 Broiler, T138, T140, T151, T154, W126, TH141, TH143, 204  
 Broiler performance, 370  
 Broilers, T152, 196  
 Brown midrib, 93, T196  
 Browse, 180  
 Browser species, W96, W97  
 BSP-A1/A2, TH172  
 bST, T189, TH108  
 Buffalo, W152  
 Buffalo milk, W70  
 Buffelgrass, TH294  
 Buffer, TH293  
 Buffering capacity, W74, W82  
 Bulk density, 789  
 Bulk milk, 483  
 Bull, TH178  
 Bull biostimulation, 479, 480  
 Bull fertility, T20  
 Butter, TH28  
 BVD, 483  
 BVDV, T174  
 By-product, TH290, 53, 589, 798
- C**  
 Caatinga, T276  
 Calcium, TH120, 69, 192, 234, 330, 445, 540  
 Calcium lactate crystals, T44  
 Calcium oxide, TH292  
 Calf, T115, T198, T201, W5, W6, W146, W221, TH68, TH69, TH70, TH187, TH205, TH217, TH258, 52, 128, 132, 155, 220, 221, 236, 319, 387, 390  
 Calf health, W14, 232  
 Calf starters, T193, TH190  
 Calorimetry, 795  
 Calpain, 290, 556, 557  
 $\mu$ -Calpain, 690  
 Calpain and calpastatin, 662  
 Calving difficulty, W17  
 Calving scheme, TH202  
 Calving season, W17  
 Canadian dairy breeds, 16  
 Candidate gene, W53, W300  
 Canine, 419  
 Canola, TH288  
 Canola meal, T181  
 Canola oil, T115, T116, T225  
*Capoeta fusca*, TH5  
 Caprine, 249  
 Capsicum, W271  
 Capstone experience, 502, 504  
 Captive breeding, 181  
 Carbohydrase, T151  
 Carbohydrate, T182  
 Carbohydrate sources, 358  
 Carcass, W23, W39, W245, W248, W265, 351  
 Carcass characteristics, T111, T116, W259, 219  
 Carcass composition, 413, 668  
 Carcass gain, W236  
 Carcass merit, 403  
 Carcass performance, W246  
 Carcass traits, W54, W275, TH134, TH148, TH222, TH275, TH276, 212, 730  
 Carcass yield, 350  
 Careers, 400, 401  
 L-Carnitine, T109, T110  
 Carnivory, 634  
 Carob pulp, W127  
 Carryover, TH245  
 Cartilage, 700  
 Carvacrol, T149  
 Casein, 60, 643  
 Casein genotypes, 616  
 Caspase, W143  
 Castration, 355  
 Cat, 174, 177, 415, 421  
 Cation-anion difference, TH233  
 Cattle, T61, W4, W9, W10, W22, W27, W37, W38, W252, W253, W265, TH112, TH161, TH163, TH207, 96, 99, 100, 214, 302, 306, 313, 316, 320, 389, 409, 490, 575, 713, 733, 734, 735, 737, 790, 802  
 Cecum flora, T132  
 Ceed intake, W22  
 Cell wall digestibility, T241  
 Cellulase, T139  
 Cellulose, W129, 37  
 Centennial, 364, 552  
 Central nervous system injury, 467  
 Centrifugation, 285  
 Cereal, T201, W118  
 Cervical mucus discharge, T174  
 Cervids, 572  
 cGMP, T179, T180  
 Challenges, 269  
 Cheddar cheese, T43, T44, T45, 48, 134  
 Cheese, T41, T42, T49, T54, T58, T59, T272, 49, 137, 424, 537, 539, 540  
 Cheese flavor, T38, T46  
 Cheese microbiology, T38, 135  
 Cheese model system, 46  
 Cheese ripening, T45  
 Cheese slurry, 47  
 Cheese yield, 538  
 Chemical composition, T83, T96, T234, W230  
 Chemoprevention, 41  
 Chemotaxis, 334  
 Chewing index, 812  
 Chick weight, W49, W194  
 Chicken, W48, W138  
 Chickpeas, TH147, TH148  
 Chinese herbal formula, W289  
 Chinese yam, W287  
 Chitosan, 512  
 Chloride fertilization, T98  
 Chlorine dioxide teat dips, 252  
 Cholesterol, T122, W25, W35, W83  
 Cholesterol removal, T47  
 Choline, W219, TH107  
 Chromium, W266, TH124, 125  
 Chromium methionine, W267  
 Chronic wasting disease, 572  
 CIDR, W163  
 CIDR insert, W191  
 CIDR reuse, W159  
 Cinnamaldehyde essential oil, W254  
*Cis-9, trans-11 CLA*, T42  
 Clarity, 512  
 Classroom attendance, 507  
 Claw lesion, 102  
 Claw lesions, W296  
 Climate change, 672  
 Clock genes, T7, 160  
 Cloning, TH17  
 Close-up, T204  
*Clostridium*, T164  
*Clostridium botulinum*, W66  
 Coastal bermudagrass, W103  
 Cobalt, W274, 100  
 Coccidiosis, 371  
 Coconut, W137  
 Coconut oil, 327, 341  
 Cohesiveness, T58  
 Cold stress, TH197, 321  
 Colicin, 121  
 Coliforms, T74  
 Color, T127  
 Colostrum, T100, W2, W5, W67, W85, W90, W153, TH168, 118, 128, 319, 387, 388, 648, 818, 822  
 Colostrum replacer, W1  
 Commercial herds, T62  
 Commercial values, 15  
 Common ancestors, T27  
 Communications, T71  
 Companion animal, 414, 416, 417, 422  
 Comparative, 631, 635  
 Comparative slaughter, 795  
 Compensatory growth, TH117  
 Competition, W198, 533, 814  
 Complex I, T177  
 Complex organic acid, T144  
 Complex probiotics, T143  
 Complexes, 516  
 Composition, TH19, 180  
 Compost, W175, 306  
 Composted horse manure, 550  
 Computer modeling, 421  
 Concentrate, T239, TH247  
 Conception, W157, 765  
 Conception rate, T18, W158, W169, TH173, TH174, 17, 18  
 Conceptus, W144  
 Condensed tannins, W94, 188  
 Conformation, 766  
 Conjugated linoleic acid, T195, T202, T207, T214, T223, T224, W133, W134, W277, TH58, TH106, TH253, 21, 25, 47, 51, 110, 326, 682, 743  
 Conservation, 399, 759  
 Consumer acceptance, 61  
 Consumer preferences, T43  
 Contamination, 253  
 Continuous culture, T249, 343  
 Control, 264  
 Controlled release, 426  
 Conventional silage, T196  
 Conversion, T161  
 Cooling, 80

- Cooperative extension, 428  
 Copper, W21, TH119, TH123, 66, 99, 195  
 Copper amino acid chelate, 196  
 Copper-molybdenum, T278  
 Copra meal, T157  
 Co-product, T65, T266, T273, TH225, TH291, 582  
 Corn, W109, W226, TH217, TH264, 146, 147, 701, 798  
 Corn dried distillers grains with solubles, TH269, 726  
 Corn germ, 331  
 Corn hybrids, W231  
 Corn meal, T96  
 Corn milling co-product, 579  
 Corn oil, T109, T110, 600  
 Corn particle size, W181  
 Corn processing, 657, 729, 732  
 Corn replacement, 803  
 Corn silage, T84, T85, T86, T87, T88, T91, T92, T97, T98, W196, TH246, 91, 93, 182  
 Corn stover, 238  
 Cornell Net Carbohydrate and Protein System (CNCPs), T265  
 Corpus luteum, W156, 477, 714  
 Corpus luteum insensitivity, 714  
 Correlation, W43, W47  
 Cortisol, 156, 378, 479, 670, 671  
 COT vascularity, 472  
 Cotton mote, 799  
 Cottonseed, TH288, 800  
 Cow, T123, T124, W196, TH6, 60, 434, 476, 477, 597, 723  
 Cow locomotion, W11  
 Cow vs. sheep, 816  
 CpG ODN, W150  
 Crabgrass, T80  
 Cream cheese, T48  
 Creep feed, 778  
 Creole cows, W161  
 Creole goats, TH14  
 Cribbing behavior, 547  
 CRISPR, W80  
 Crop milk, W65  
 Crop residues, W244  
 Crossbred, T17, 765  
 Crossbred pig, W301  
 Crossbred steer, T120  
 Crossbreeding, W15, W16, 761, 762, 763, 766  
 Cross-linked  $\beta$ -cyclodextrin, T47  
 Cross-sucking, 236  
 Crown rust resistance, W104, W105  
 Crude glycerin, 784  
 Crude glycerol, 292  
 Crude protein, TH135, 204, 592  
 CTGF, 686  
 Culling, W187  
 Culture, 251  
 Curd moisture content, T56  
 Curd size, T58  
 Curriculum revision, 504  
 Cutability, 295  
 Cutting time, T78  
 $\beta$ -Cyclodextran, W83  
 Cyclophosphamide, T160  
 Cysteine, TH180  
 Cytochrome P450, 478
- Cytokine, W8, TH128, 154, 234, 607  
 Cytokine production, 368
- ## D
- Daily gain, 535  
 Daily water intake, 755  
 DAIReXNET, 431  
 Dairy, T65, T67, T103, W178, W183, W204, TH270, 11, 70, 79, 106, 111, 130, 318, 323, 431, 492, 752, 761, 820  
 Dairy breed, 485  
 Dairy calf, T193, W1, TH3, TH188, TH189, TH190, TH191, TH194, 15, 666, 667  
 Dairy cattle, T175, W192, TH4, TH13, 12, 80, 81, 83, 102, 108, 144, 263, 405, 457, 583, 611, 612, 613, 617, 793, 813  
 Dairy cattle breed, T17  
 Dairy cow, T4, T181, T199, T200, T208, T210, T216, T217, T219, T221, T225, T226, T228, T260, T261, W148, W155, W157, W164, W169, W171, W179, W180, W188, W189, W191, W217, W219, TH105, TH184, TH211, TH234, TH235, TH238, TH239, 56, 103, 145, 185, 188, 224, 233, 251, 301, 307, 337, 341, 581, 739, 742, 791, 792  
 Dairy cow mortality, T1, T22  
 Dairy form, 232  
 Dairy goat, T211, T246, 105, 812  
 Dairy heifer, TH192, TH193, TH195, 217  
 Dairy Herd Improvement data, T172  
 Dairy nutrition, W203, 53  
 Dairy products, 642, 645  
 Dairy professionals, T68  
 Dairy replacements, 604  
 Dairy sanitation, T69  
 Dairy sheep, T212, 498, 499, 500, 821  
 Dallisgrass, TH45  
 Damascus goat, W67  
 Darwinian selection, 395  
 Database, T6  
 Daughter pregnancy rate, T19, T22  
 Days open, W148, 18  
 DCAD, TH241, TH246, 106  
 DDX3Y gene, T34  
 Decision support, 90  
 Deep-bedded hoop barns, 322  
 Degradation, TH272, 277  
 Degradation ratio, T194  
 Dehorning, 235  
 Delivery, 429  
 Delta-like protein 1 (DLK1), TH59  
 Density, T86  
 Deoiled corn dried distillers grains, TH145  
 Deoiled dried distillers grains with solubles, 56  
 $\Delta^9$ -Desaturase, 613  
 Destoned olive cake, W228  
 Development, TH63, 275  
 Deworming, T268  
 Dexamethasone, T7, W253, 160, 496
- Dextran sulfate, W68  
 DGGE, T252  
 DHA diet, W224  
 Diamond V yeast culture, 742  
 Dicer, W299  
 Diet, T262, 353, 712  
 Diet complexity, 777  
 Diet density, W195  
 Diet formulation, TH261  
 Dietary additive, W288  
 Dietary crude protein, W234  
 Dietary electrolyte balance, 357  
 Dietary fiber, 205, 356, 704  
 Dietary protein, W140, TH137, 307  
 Differentiation, 664  
 Digestibility, T78, T80, T87, T95, T136, T206, T233, T240, T251, W96, W115, W116, W119, W208, W274, TH149, TH216, TH218, TH265, 38, 95, 174, 183, 184, 210, 325, 337, 344, 495, 582, 590, 598, 704, 731, 733, 799, 816, 817  
 Digestibility in piglets, TH138, 206  
 Digestion, T133, 420  
 Digestion kinetics, 580  
 Digestive tract histology, TH213  
 Direct-fed microbials, TH213, 730  
 Disappearance, T244, T245, W225, TH209  
 Discrimination, TH238  
 Disease, TH116, 115  
 Disodium fumarate, 335  
 Distance, 505  
 Distance education, T289  
 Distance learning, 170  
 Distillers grains, T75, W239, TH146, TH226, TH265, TH284, 144, 148, 214, 311, 331, 344, 585, 657, 724, 727, 730, 798, 802, 803, 804  
 Distillers grains with solubles, TH282  
 Diurnal cut, 185, 186  
 DNA methylation, 453  
 Docosahexaenoic acid, T215  
 Dog, W58, W59, W60, W62, W64, 175, 176, 415, 421  
 Domestication, 414  
 Doppler ultrasonography, TH9  
 Dried bacterial cells, 774  
 Dried distillers grains, TH151, TH283, 562, 565, 693, 784  
 Dried distillers grains with solubles (DDGS), T99, W7, TH132, TH136, TH150, TH264, TH285, 210, 563, 564, 586, 587, 728, 786  
 Drinkable yogurt, 112  
 Drinking, TH2  
 Drinking yogurt, TH18  
 Dry matter, TH197  
 Dry matter fluctuation, W273  
 Dry matter intake, W223, TH52, 666, 814  
 Dry matter recovery, T77  
 Dry period, T185, W189, W205, 456  
 Dry period length, TH116  
 Dry-cured ham, 354  
 Dry-rolled corn, T75  
 Duck, W114
- Duodenal nutrient flow, T200  
 Duration, 711
- ## E
- Early lactation, TH248  
 Early-lactation cow, TH251  
 Early-weaned calf, TH48, TH50  
 Early-weaned steer, 211  
 Early weaning, 575  
 Early weaning tropics, TH200, TH201  
 Economic trait, W47  
 Economics, 654  
 EDTA, 121  
 EDTA challenge, 794  
 Education, TH17, 501, 508  
 Efficiency, T258, 126, 346, 670, 725  
 Egg quality, T147, T153  
 Egg weight, W49, W194  
 Egg yolk, TH84  
 Egg yolk antibodies, 695  
 Eggs, T72  
 EHV-1, T294  
 EIA, T220  
 Electron microscopy, T55  
 Electronic identification, 507  
 Electronic nose, T105  
 Elongation, W135  
 Embryo, W138, W144, TH180, TH184, 471  
 Embryo developmental competence, TH177  
 Embryo quality, TH230  
 Embryo transfer, TH183, TH185  
 Emissions, 658  
 Emulsifiers, 42  
 Encapsulated, T161, T162, W81  
 Endocannabinoids, 477  
 Endocrine, 198  
 Endocrine control, TH168  
 Endocrine regulation, 274  
 Endocrinology, 399, 566  
 EndoFighter TH41  
 Endogenous, TH249  
 Endophyte, 2  
 Energetic efficiency, 771  
 Energy, T280, T282, 207, 561, 706, 724  
 Energy and protein requirements, 228  
 Energy balance, T8  
 Energy efficiency, TH101  
 Energy intake, 702  
 Energy level, W122  
 Energy source, 136, 663  
 Energy status, W199  
 Energy value, W99, TH269, 701  
 Enhanced distillers dried grains with solubles, 561  
 Enriched housing, 379  
*Enterococcus*, 709  
 Enterolactone, T220  
 Environment, 79, 83, 148, 361, 725  
 Environmental covariance, 626  
 Environmental sampling reliability, 482  
 Enzyme, W204, TH69, TH146, 646, 694  
 Enzyme supplementation, T165, 693

- EPA, W139  
 Epithelium-free fat pad, 123  
 Equine, T173, T292, T293, TH87, TH88, TH89, TH90, TH91, TH93, TH94, TH95, TH98, 28, 30, 282, 283, 284, 287, 442, 446, 546  
 Equine curriculum, T288  
 Equine genetics, 29  
 Equine genome, 29  
 Equivalency, W126  
 Equivalent model, 621  
 Ergot alkaloids, TH12  
*Escherichia coli*, W85, 370, 573, 209  
*Escherichia coli* adhesion, T159  
*Escherichia coli* K88, TH7  
*Escherichia coli* O157, T75  
*Escherichia coli* O157:H7, T76, W260  
*Escherichia coli* phytase, TH121  
 Essence, 326  
 Essential oils, T142, T145, W93, W94, W95, W214, W268, 738  
 Esterified linolenic acid, 342  
 Estradiol benzoate, 719  
 17 $\beta$ -Estradiol, T179, W172  
 Estrogen, 78, 456  
 Estrogen and progesterone, 685  
 Estrous behavior, W192  
 Estrous cycle, 473  
 Estrus synchronization, W168, 652, 717, 718, 722  
 Ethanol, 151  
 Ether extract, TH82  
 Ethics, 164  
*Euchsena mexicana* Schrad, T130  
 Eukaryotic expression, 781  
 Europe, 416  
 Excess crude protein, 565  
 Excretion of copper and zinc concentrations, TH121  
 Exercise, TH95, 446  
 Exit velocity, 747, 748  
 Exocrine pancreatic secretion, TH62  
 Exogenous fibrolytic enzymes, W228  
 Exopolysaccharide, T160  
 Exotic species, 633  
 Expected progeny differences, 7  
 Experiential learning, 502  
 Experimental design, 222, 223, 526  
 Experimental designs, Experimental unit, 222  
 Exponential model, W223  
 Expression of ATP synthase and Na<sup>+</sup>/K<sup>+</sup>-ATPase, W234  
 Extended lactation, 454, 617  
 Extension, 34, 35, 36, 428, 429, 430, 432, 433, 651, 659  
 Extension education, T70, 33  
 Extension programming, 431  
 Extruder-expelled soybean meal, TH254  
 Extrusion, TH25
- F**
- Facility design, 241  
 Faculty positions, 398  
 FAMACHA, T268  
 Farm animal, 246, 675  
 Farm animal welfare, 259  
 Farm plan, 142  
 Farrowing, W34  
 Fat, T204, W132, W253, TH231, 323, 324, 331, 333, 564  
 Fat accumulation, W264  
 Fat cow, T190  
 Fat deposition, W53  
 Fat feeding, T216  
 Fat globule flocculation, 514  
 Fat quality, T106  
 Fat-soluble vitamins, 181  
 Fat source, TH123  
 Fat supplement, T102  
 Fat supplementation, T211, 107, 332  
 Fattening pig, W140  
 Fatty acid, T42, T115, T122, T212, T222, T254, W55, W131, TH104, TH155, 63, 181, 324, 329, 464, 599, 600, 607, 612, 678  
 Fatty acid biohydrogenation, T239  
 Fatty acid composition, T108, T110, T112, T113  
 Fatty acid kinetics, 329  
 Fatty acid profile, T285, W25, W67, W279, TH281, 292, 517  
 Fatty liver, W219  
 Fatty liver weight, T132  
 FDA, 266, 418  
 Feather meal, TH133, TH134  
 Feature selection, 262  
 FEC, T271  
 Fecal characteristic, T145  
 Fecal malodor gas emission, T148  
 Fecal microflora, T129  
 Fecal noxious gas concentration, T142  
 Fecal odor emission gases, TH122  
 Fecal particle size, W210  
 Fecal pollution, W174  
 Fecal quality, 176  
 Feed, 782, 815  
 Feed acidifiers, TH188  
 Feed additives, W203, TH188, 343, 734, 735  
 Feed challenge, 740  
 Feed conversion, W236, 314  
 Feed efficiency, T119, W20, W182, W214, W269, W276, TH81, TH214, TH228, 728, 768, 769, 770  
 Feed formulation, 783  
 Feed intake, T247, W37, W38, W39, TH152, 327, 536, 624  
 Feed management, T66  
 Feed particles, 813  
 Feed restriction, T286, W249, W250  
 Feed safety, 265, 417  
 Feed supplementation, TH46  
 Feedbunk, 752  
 Feeding, W178, TH208, 147, 637  
 Feeding behavior, W276, 384  
 Feeding frequency, T279  
 Feeding level, 816  
 Feeding management, W181, 315  
 Feeding program, W121  
 Feeding strategies, TH189  
 Feedlot, T121, T191, W242, W245, W246, W249, W265, W268, TH222, TH285, 146, 213, 490, 729, 732, 749  
 Feedlot beef cattle, 322  
 Feedlot cattle, W237, W254, W266, 219, 311  
 Feedlot performance, W267  
 Feedlot sickness, 750  
 Feedstuffs, W258  
 Feet and leg structure, W300  
 Feline, 419  
 Feline nutrition, W63  
 Female castration, T107  
 Fenugreek, W202, 92  
 Feral, TH85, TH171  
 Fermentation, W271, TH212, 420, 738  
 Fermentation characteristics, T133, W287  
 Fermentation kinetics, T251  
 Fermentation parameter, TH219  
 Fermentation profile, T88  
 Fermented milk, 41  
 Fertility, T19, T33, T174, W50, W158, W194, TH279, 129, 237, 497, 568, 569, 723, 764  
 Fertility and hatchability, TH166  
 Fertilization, W108, 568  
 Fertilizer, 131  
 Ferulate cross links, 182  
 Ferulic acid esterase, T95  
 Fescue, TH9, 3  
 Fescue toxicosis, TH11, TH12  
 Fetal ovary, W143  
 Fetal programming, 473  
 Fiber, T266, T273, W128, W208  
 Fiber diameter, T63  
 Fiber digestibility, 182  
 Fiber digestion, W278, 37  
 Fiber measurement, TH274  
 Fibrolytic enzymes, T241, W244  
 Field peas, TH139  
 Field studies, 224  
 Field trials, 223  
 FIL, 451  
 Financial, T67  
 Finished pig, TH156  
 Finishing, TH42, TH43, 214  
 Finishing cattle, 724  
 Finishing phase, T118  
 Finishing pig, TH133, TH134, 775, 786  
 FIRE feeder station, 532  
 First-calf heifers, TH200, TH201  
 Fish meal, TH144, 201  
 Fish oil, T202, T225, T249, W139, W277, W278, W279, 328  
 Fixed-time AI, 721  
 Flamingo, W65  
 Flavor, T134, W71, TH20, 48, 49, 134, 777, 778  
 Flavor chemistry, T46  
 Flavor production, W79  
 Flax product, T219  
 Flaxseed, T228, 129, 325  
 Fleas, W59  
 Flight time, 624  
 Flow cytometry, T264, TH173, TH174  
 Flux chamber, 310  
 Foaling, TH97  
 Foam, 40  
 Foliage supplements, TH102  
 Follicle, W151, W152, W156  
 Follicle dominance, W171  
 Food, 111, 151, 543  
 Food adaptation, 174  
 Food animal, 167  
 Food animal welfare, 256  
 Food safety, T71, 113, 264, 266, 267, 418, 542  
 Food safety research, 542  
 Foodborne pathogens, 542  
 Forage, T64, W108, W109, W274, TH43, TH223, 24, 38, 53, 271, 272, 273, 439, 464, 465, 599  
 Forage allowance, TH44  
 Forage-based, 269  
 Forage:concentrate, 217  
 Forage diets, 491  
 Forage evaluation, 94  
 Forage intake, TH48  
 Forage level, T207  
 Forage mass, TH46  
 Forage nutritive value, W105  
 Forage particle size, 736  
 Forage proportion and particle length, T199  
 Forage quality, W98, TH35, TH256  
 Forage systems, 270  
 Foraging, 383  
 Foraging behavior, 435  
 Foreign animal diseases, 267  
 Formate, W218  
 Formic acid, T141  
 Foundation reports, 259  
 Fourier harmonics, 569  
 Fractionation, 657  
 Free linoleic acid, T215  
 Freeze-dried milk powder, T48, W72, W73  
 Frequent milking, TH110, 449, 554  
 Fresh cow, W195  
 Frothy bloat, TH223  
 Frozen-thawed boar semen, 570  
 Fructan, 175  
 FSH, W165, 571  
 FTIR, TH22  
 Functional foods, 425  
 Functional genomics, 28  
 Functional properties, 43  
 Functionality, TH24, 20, 42, 139, 511, 538, 642, 644  
 Funding, 32  
 Fungi, T241, W244  
*Fusarium* mycotoxins, W60, 301  
 Future, 240, 299
- G**
- GAFS, W237  
 Gain, W40  
 Garlic, T269  
 Gas production, W127, W238, W258, 801  
 Gastrointestinal, T293, W130  
 Gastrointestinal health, T138  
 Gastrointestinal nematodes, T270, 494  
 Gastrointestinal parasitism, TH14  
 Gastrointestinal tract, TH249, 220

- GEBV reliability, 260  
 Gel, 359, 515  
 Gelation, 515  
 Gender, 297  
 Gene array, TH162  
 Gene delivery, T36  
 Gene expression, T37, T102, W21, W85, W141, W147, TH66, TH71, TH72, TH156, TH157, TH230, 75, 119, 120, 123, 427, 449, 457, 470, 554, 669, 678, 696, 788  
 Gene frequency model, T35  
 Gene regulation, 161  
 Gene silencing, 553  
 Genetic correlation, W33  
 Genetic diversity, W57, 759  
 Genetic evaluation, T25, T26, 4, 5, 10  
 Genetic markers, T33, 7, 409  
 Genetic parameters, T15, T24, 15, 533, 535, 612, 613, 616  
 Genetic polymorphism, T2  
 Genetic strain, 454  
 Genetic transfer, 395  
 Genetic trends, 628  
 Genetic variants, 615  
 Genetically modified traits, TH16  
 Genetics, T6, W14, 35, 173, 263, 365, 531, 651  
 Genistein, TH94, TH109  
 Genome, 31, 627  
 Genome selection, 7  
 Genome sequence, 23  
 Genome tools, 28  
 Genome-wide association, 406  
 Genome-wide selection, 260  
 Genomic breeding values, 260  
 Genomic prediction, 523, 524  
 Genomic selection, T31, 6, 261, 263, 407, 521, 522  
 Genomics, T8, T178, TH104, TH114, 278, 404, 410, 528, 553, 555, 605, 679, 681, 683, 770  
 Genotype, TH155, TH276, 261, 522  
 Genotype  $\times$  environment interaction, W46, 408  
 Genotyping, 524  
 Geraniol, W71  
 Gestating sow, 379  
 Gestation housing, TH186  
 Gestation length, TH165  
 Gestation stage, T21  
 Gestation stall, W297  
 Gestational overfeeding, TH80  
 GFP, W77  
 Ghrelin, 73, 496, 668  
 GHRH, T186  
 Gibbs sampling, 626  
 Gilt, W121, W122, TH109, TH186, 534, 563, 571  
 Globalization, 672  
 Glucagon-like peptide-2, TH79  
 $\beta$ -Glucanase, T137  
 $\beta$ -Glucans, T170, 710  
 Gluconeogenesis, TH67, TH163, 2  
 Glucosamine, 744  
 Glucose, TH3, TH68, TH87, TH257, 334  
 Glucose absorption, 710  
 Glucose metabolism, T216, T217  
 Glucose transport, 44  
 Glutamate, 669  
 Glycemic, 442  
 Glycemic response, 443, 444  
 Glycerin, TH232, 490, 492  
 Glycerol, T117, T198, T259, W132, TH216, TH228, 59, 489, 492, 785, 786  
 Glycerol supplementation, 491  
*Glycine max*, W235, W236  
 GnRH, W169, 284, 720  
 Goat, T227, T269, T274, T275, T277, T278, T280, T281, T282, T285, T286, W151, 72, 227, 228, 229, 345, 347  
 Goat cheese, T254  
 Goat kid, 823  
 Goat milk, T272  
 Goat milk cheese, T40  
 Goat, Spanish Boer, 758  
 Golestan and Mazandaran, T15  
 Gompertz, W28  
 Goose, W129  
 Government agencies, 400  
 GPS, 437  
 GPx-1, 104  
 Graduate, 171  
 Graduate education, 170, 401  
 Graduate students, 402  
 Grain, 791, 792  
 Grain legumes, 209  
 Grain mixes and protein sources, TH192  
 Grain processing, TH226  
 Granulosa cell, 163  
 Grass, W100, W106  
 Grass quality, 308  
 Grazing, T103, T274, W248, TH38, TH42, TH51, 130, 271, 272, 273, 325, 436, 439, 545  
 Grazing behavior, W270, TH39, TH203, 73  
 Grazing cages, TH52  
 Grazing dairy cow, T213, T214, W197  
 Grazing systems, 494  
 Greenchop, T81  
 Ground ear maize, T247  
 Group feeding, TH187  
 Growing lamb, 728  
 Growing pig, T157, T158, W135, TH123, 771  
 Growth, T134, T162, W2, W26, W28, W84, W146, W290, TH61, TH62, TH99, TH145, TH195, TH205, TH210, TH275, 58, 63, 132, 215, 275, 314, 351, 562, 596, 775, 776, 796  
 Growth and carcass, 218  
 Growth biology, 274  
 Growth factor, TH180  
 Growth hormone, T184, T186, T187, T188, 279  
 Growth hormone gene-prokaryotic expression, 781  
 Growth performance, T145, T148, W266, W283, TH121, TH122, TH127, TH133, TH141, TH142, TH147, 563  
 Growth substrates for nonstarter lactic acid bacteria, 46  
 Growth traits, W48  
 Growth weight, W46  
 Growth year, T194  
 Guidelines, 674  
**H**  
*Haemonchus*, T269, 159  
*Haemonchus contortus*, TH14, 758  
 Hair sheep, W241, W259, TH276, TH278, TH289, TH290, TH291, TH292, TH293, TH294  
 Hair sheep crosses, TH275  
 Halothane genotype, W301  
 Handling, T104  
 Hanwoo, W42  
 Haptoglobin, 235  
 Hay, 96, 800  
 Hay intake, 434  
 Hay restriction, TH225  
 Haylage, 598  
 Hazard, W187  
 Health, T6, W10, 87, 152, 225, 639, 823  
 Health problems, 486  
 Health status, 205  
 Heart health, 638  
 Heat, 594  
 Heat detection/expression, 18  
 Heat load index, 437  
 Heat loss, 767  
 Heat processing, W118  
 Heat shock, TH164  
 Heat stress, T26, TH161, TH162, TH163, TH206, TH233, 59, 80, 81, 82, 83, 84, 88, 108, 145, 373, 457, 620, 753  
 Heat tolerance, 757  
 Heated butter, TH34  
 Heifer, T122, W153, W160, W198, W201, W249, W250, TH237, 54, 218, 601, 602, 603, 684, 720  
 Heifer calf, W2  
 Heifer replacement, 604  
 Heifer rearing, T191  
 Hepatic gluconeogenesis, TH161  
 Herbage allowance, TH37  
 Herbal product, W288  
 Herbs, T268  
 Herd expansion, T1  
 Herd health, T61  
 Herd performance, W295  
 Herd size, T1, T60  
 HERDA, 548  
 Heritability, T22, T28, W30, W31, W32, W43, W45, 12, 530, 531, 615, 623  
 Heterogeneous variance, 629  
 Heterosis, 630, 762, 763  
 Heterospermic insemination, TH176  
 Hierarchical model, 757  
 High-grain diet, TH290  
 High-moisture corn, 191  
 High-oil corn, T213, T214, W117  
 High-oil sunflower meal, T245  
 High pressure, 643, 644, 649  
 High-pressure homogenization, TH27  
 High-pressure processing, W66, 648  
 High-producing Holstein cows, W165  
 High-protein distillers grains, 233  
 High-protein soybean meal, 208  
 Hindgut, TH212  
 Hippotherapy, 506  
 Hispanic cheese, T39  
 Histochemical staining, T121  
 History, 298, 364, 441, 622, 713  
 History of CES, 428  
 HMBi, TH269  
 Holstein, T15, T27, W220, 82, 127  
 Holstein and Jersey, W199  
 Holstein beef, 463  
 Holstein cattle, W142  
 Holstein heifers, W167  
 Holstein steer, 309  
 Holsteins in Japan, T24  
 Hoof horn strength, 485  
 Hoops, 754  
 Hormones, 572  
 Horse, T294, W102, TH9, TH11, TH85, TH92, TH96, 1, 31, 288, 289, 430, 441, 443, 444, 445, 547, 549, 551  
 Hourly effective degradation ratio of N to CHO, W227  
 Housing, W176, TH196, 87  
 Housing system, W175, W180  
 Housekeeping genes, TH103  
 HPLC, T50, T72  
 Human chorionic gonadotropin, W166, W167  
 Human recombinant adenovirus, T36  
 Human-animal bond, 414  
 Hutch, 318  
 Hyaluronan, TH183  
 Hydrodynamic pressure processing, T125  
 Hydrogenation, T255  
 25-Hydroxyvitamin D<sub>3</sub>, T150  
 Hygiene environments, 408  
 Hypercholesterolemia, 25  
 Hyperelastosis cutis, 548  
 Hypocalcemia, 794  
 Hypothalamic-pituitary-adrenal axis, TH1  
 Hysteresis effect, W74  
**I**  
 Iberian pig, T106, T107, T108, 297  
 iButton, 85  
 Ice cream, TH21, TH22, TH30, 649  
 Ideal protein, 202  
 Identification, TH88, TH89, TH90, TH91  
 Ileal, W116  
 Image analysis, T253  
 Immune, 303  
 Immune function, T173, W134, W287, 120  
 Immune response, T278, W263, W285, W289, 385, 606  
 Immune stress, T168  
 Immune system, 822  
 Immune supplement, 155  
 Immunity, W221, 152, 156, 246, 323, 447, 575, 596, 811

- Immunocastration, 296  
 Immunoglobulin, T100, T171, T172, W3, 118, 648  
 Immunoglobulin A and immunoglobulin M, T29  
 Immunoglobulin G, W1, 287, 388, 822  
 Immunoglobulin G absorption, W5  
 Immunomodulation, 52  
 Immunosterilization in dogs, W150  
 Immunosuppressed mice, T160  
 Impact, 493  
 Implants, 463  
 Imported feed, 266  
 Imported foods, 264  
 In situ, T234, T236, T240, TH272, 589  
 In situ degradability, T242  
 In situ ruminal degradation, T99  
 In vitro, T167, T240, W95, W229, TH53, TH54, TH55, TH56, 420  
 In vitro culture, TH181  
 In vitro digestibility, W102, W228  
 In vitro fermentation, 238  
 In vitro gas production, W97, W106, TH51, 440  
 In vitro intestinal digestibility, T99  
 In vitro model, T149, W119  
 In vitro system, W262  
 Inbreeding, T27, T32, 127, 628  
 Inbreeding depression, W52, 760  
 Incentive, T66  
 Incidence, 486  
 Incongruence, 258  
 Incorporation, 523  
 Index management, 650  
 Indigenous chicken, W29  
 Indigenous goat, T276  
 Industry, 34  
 Industry leadership, 167  
 Indwelling catheters, W125  
 Infant milk formulation, 513  
 Infection, 811  
 Inflammation, T169, 596, 606, 700  
 Information, 433  
 Infrared spectroscopy, TH28, 48  
 Inhibition, TH112  
 Innate immune activation, W11  
 Innate immunity, 805  
 Inoculants, T92, T97, W196  
 Inoculums, W97  
 Insecticide, TH203  
 Insoluble aggregates, TH31  
 Instructor, 505  
 Insulin, T175, T182, T188, TH87, 373, 443, 478, 744  
 Insulin-like growth factor-I, T187, TH76, TH77, TH182, 74, 686  
 Insulin-like growth factor-I gene polymorphism, W48  
 Insulin-like growth factor-I mRNA, TH78  
 Intake, W271, TH11, TH47, TH102, 57, 330, 438, 579, 817  
 Intake and growth, W254  
 Intake pattern, 738  
 Integrative vector, W77  
 Intercropping, W108, W109  
 Interferon, W145  
 Interim evaluation, 10  
 Interleukin 8, T170  
 Internal marker, T77  
 International, TH100  
 Internet, 429, 430  
 Internships, T292  
 Interstate roads, W298  
 Interval, 117  
 Interviews, 398  
 Intestinal bacteria, T73  
 Intestinal epithelial cells, 610  
 Intestinal inflammation, 595  
 Intestinal microflora, W262  
 Intestinal villi, T144  
 Intestine, W129, TH156, TH160, 594  
 Intramuscular fat, W44, 65  
 Intravaginal device, T5  
 Intravenous glucose tolerance test, W125  
 Inulin, 696  
 Investment analysis, 655, 656  
 Involution, TH114, 687, 819  
 Iodine, T54, T246, TH245  
 Ionophores, TH293, 397  
 Iranian Holstein, T13, T14, TH248  
 Iron, TH126, 67, 99  
 Iron status, T154  
 Irrigation, W231, 130  
 Islets, T188  
 Isomer, TH250  
 Isoproteic diets, W241  
 IVF, TH175
- J**  
 Japanese Black, W19  
 Japanese quail, TH166  
 JDIP, TH15  
 Jersey, 763  
 Jog, TH83  
 Johne's disease, T28, TH15, 482, 484  
*Journal of Animal Science*, 622  
*Juniperus monosperma*, W93, W94
- K**  
 Kalman filter, 625  
 $\alpha$ -Ketoglutarate biosynthesis, W79  
 Kids, W243  
 Kinetics, 743  
 Knots, 618  
 Koala, 179  
 Kurdi sheep, W28
- L**  
 Labeling, 113  
 Lactate, T127, 338, 339  
 Lactating cow, T102, 584  
 Lactating dairy cow, W213  
 Lactating mice, 119  
 Lactation, T23, T218, T258, TH104, 126, 280, 281, 536, 552, 555, 679, 807  
 Lactation curve modeling, 618  
 Lactation length, W295, 764  
 Lactation performance, W211, W212, 583  
 Lactation termination, T21  
 Lactic acid, T90  
 Lactic acid bacteria, W69, W75, W86, 21, 47, 641  
*Lactobacillus*, W83, 425  
*Lactobacillus buchneri*, T91, T93, TH224  
*Lactobacillus casei*, 23  
*Lactobacillus gasseri*, 22  
*Lactobacillus plantarum*, T96  
*Lactococcus*, W76  
*Lactococcus lactis*, W79  
 Lactoferrin, T2, T172, W90, 614, 647, 810  
 Lactogenesis, 683  
 $\beta$ -Lactoglobulin, W68  
 Lactoperoxidase, 647  
 Lactose, W120, 699, 708, 787  
 Lag time, 98  
 Lahontan trout, 372  
 Lamb, T80, W111, TH282, 332, 351, 494  
 Lamb survival, 496  
 Lameness, TH13, 153, 485, 751  
*Laminaria digitata*, W286  
*Laminaria hyperborea*, W286  
 Land grant, 32  
 Landes goose, T132  
 Lasalocid, W6  
 Lauric acid, T221, 341  
 Laying hen, T146, T147, T153, TH140  
 LC-MS/MS, 290  
 Lead acetate, TH5  
 Learning, 363, 505  
 Leg action, 534  
 Legal, 520  
 Legislation, 518, 520  
 Legume, 598  
 Length of supplementation, T283  
 Leptin, T183, 71, 237, 455, 668  
 Levels of nitrogen, TH46  
 LH, T187, W160, 283, 284  
 LHRH vaccine, W150  
 Light scattering, T56  
 Lignin, TH57, 183, 184  
 Lignocellulose, 356  
 Likelihood, TH92  
 Limestone, TH292  
 Limited access time, 434  
 Limit-feeding, 601  
 Limit-feeding diets, TH193  
 Limiting amino acids, TH131  
 Linkage disequilibrium, 409, 410  
 Linoleic acid, T207  
 Linolenic acid, TH179  
 Linseed, T208, T210, T212, T254  
 Linseed oil, T205, T206, T209, W131  
 Lipase, 70  
 Lipid, T118  
 Lipid peroxidation, W291  
 Lipid enzymes, TH107  
 Lipid oxidation, 24  
 Lipid profile, T117  
 Lipid secretary function, W140  
 Lipid supplements, TH103  
 Lipid transporter, TH105  
 Lipogenesis, T218  
 $\alpha$ -Lipoic acid, T128  
 Lipolysis, T238, T256  
 Lipopolysaccharides, 810  
 Lipoprotein, W35  
 Liquid calf feeds, W3  
 Liquid diets, TH131  
 Liquid hog manure, W100  
 Litter size, 194, 570  
 Litter weight gain, 369  
 Live yeast, W212  
 Liver, T227, W21, TH66, TH67, 2, 75  
 Liver abscess, 608, 735  
 Liver cancer, 162  
 Livestock, T290, T291, 385  
 Locomotion, 751  
 Locomotion score, TH13  
 Logistic regression, T13  
 Long-chain omega-3 fatty acids, 24  
 Long life, TH18  
 Longevity, T16, 487  
 Longissimus muscle, W44  
 Longitudinal data, T25, W41, 625  
 Low crude protein, T151  
 Low-DCAD timothy hay, 794  
 Low fat, T41, T46, T59, 134, 137, 138  
 Low-fat Cheddar cheese, 136  
 Low-fat cheese, T38, 135, 139, 140, 141  
 Low-fat process cheese, 42  
 Low-oligosaccharide soybean meal, 208  
 LPS, TH94  
 Lucerne, 98  
 Luteolytic, TH169  
 LXR, 677  
 Lymphocytes, T7  
 Lysine, W61, TH124, TH153, TH255, 203, 775
- M**  
 Machine learning, T37, 525  
 Magnetic resonance, 352  
 Maintenance, 817  
 Major mineral, T277  
 Male effect, TH278  
 Malic acid, T232, W224  
 Malignant melanoma, 411  
 Mammalian target of rapamycin, 279  
 Mammary, TH108, 54, 552, 660, 684, 807  
 Mammary cells, 678, 681  
 Mammary development, TH109  
 Mammary gland, TH105, TH106, TH107, TH115, 450, 452, 554, 687, 805, 819  
 Mammary growth, 685  
 Mammary involution, TH111, 453  
 Mammary pregnancy cycle, 276  
 Mammary stem cells, TH65  
 Mammogenesis, 123, 687  
 Management, T60, T61, T67, W176, W290, 818  
 Manganese, 67  
 Mannan oligosaccharide, T168  
 Mannanase, T157  
 Manufacture, T49  
 Manufacturing protocol, 141  
 Manure, W101, W173, W184, TH263, 131  
 Manure composition, 189

- Manure odor, 311  
 Manzarina, W111  
 MAP, TH15  
 Map QTL, T35  
 Mapping, T43  
 Marbling, 61, 62, 64, 65, 149, 691, 727  
 Marker, TH149  
 Marker-assisted selection, T30, 6, 261  
 Marketing, 231  
 Markhoz goat, W30, W31  
 Mastication, T167  
 Mastitis, T2, T9, T10, T12, T13, W179, 13, 143, 247, 249, 250, 251, 481, 609, 811, 820  
 Maternal ability, W31  
 Maternal effects, 626  
 Maternal nutrition, 286  
 Maternal obesity, 474  
 Mathematical models, 617  
 Maturity, T79  
 Meal length, 444  
 Meat, TH231, 227, 543  
 Meat and bone meal, T253, 207  
 Meat and fat quality, T114  
 Meat attributes, TH280  
 Meat duck, W134  
 Meat goat, T283, T284, 346  
 Meat quality, T104, T152, W301, 295, 558  
 Meat quality and fatty acid profile, T107  
*Megasphaera elsdenii*, 338, 339  
 Melamine, 265  
 Melatonin, 498  
 Melengestrol acetate, TH73  
 Melt character, T39  
 Melt test, TH30  
 Meltdown stability, TH21  
 Membranes, 646  
 Menadione, TH182  
 Mentoring, 503  
 Meta-analysis, TH102, 225, 592, 739, 742  
 Metabolic, 248  
 Metabolic disease, 609  
 Metabolic reconstruction, 528  
 Metabolic syndrome, 1  
 Metabolism, T185, T235, T261, W123, W138, TH257, 67, 75, 246, 489, 679  
 Metabolizable amino acids, TH267  
 Metabolizable energy, W106, W117  
 Metabolizable protein, T265, TH249  
 Metagenomic, T231  
 Metatarsal and rib bone, T156  
 Methane, 79, 304, 308, 337  
 Methane-producing activity, W275  
 Methane release, T232  
 Methanogenesis, 342  
 Methionine, W218, TH147, TH148, TH239, TH250, TH255  
 Methodology, 348  
 Methods, TH53, TH54, TH55, 544  
 Methyl donor, W218  
 Metritis, W193  
 Mexican dairies, 764  
 Mexican hairless pig, W57  
 MGA, W245, W246  
 Mice, 767  
 Micellar casein, TH24  
 Microarray, T178, 30, 125, 289, 526, 527  
 Microbial ecology, T158  
 Microbial efficiency, T237  
 Microbial fermentation, 740  
 Microbial load, TH26  
 Microbial phytase, T147  
 Microbial population, T262, W282, 335  
 Microbial profile, 772  
 Microbial protein synthesis, T200, TH252, 745  
 Microbiology, W64  
 Microbiota, TH10, 136  
 Microencapsulation, T149, T155, 426  
 Microfiltration, TH33, 510  
 Microflora, W294  
 Microgravity, TH181  
 Micromineral, 105  
 Microparticulation, 511  
 microRNA, W302, TH167, 161, 162, 163, 276  
 Microsatellites, W57  
 Microstructure, T55, 540, 559, 645  
 Milk, T204, T246, W69, W74, W200, W222, TH26, TH27, TH247, 21, 113, 215, 233, 324, 333, 579, 644, 805, 821  
 Milk and dairy products, 427  
 Milk aroma, 187  
 Milk coagulation ability, 616  
 Milk components, TH106  
 Milk composition, T209, T213, 194  
 Milk digestibility, T219  
 Milk ejection, TH112  
 Milk fat, T215, T218, W186, W207, 51, 107, 640, 682  
 Milk fat composition, 611  
 Milk fat content, 812  
 Milk fat depression, T195, T203, 327, 743  
 Milk fat globule membrane, W86, W87, 641  
 Milk fatty acids, T208, W217  
 Milk fever, TH241, 234  
 Milk processing, T289  
 Milk production, TH115, TH185, 92  
 Milk protein, W82, W186, TH255, TH267  
 Milk protein composition, 615  
 Milk protein production, 586  
 Milk quality, T74, W88, W220, 481  
 Milk recording, 500  
 Milk replacer, T198, TH258, 58, 216, 221, 667, 684  
 Milk replacer trace minerals, TH194  
 Milk synthesis, TH114  
 Milk traits, T223  
 Milk urea, TH262, 591  
 Milk urea nitrogen, 499  
 Milk yield, T222, TH202, TH206, 89, 232, 328, 745  
 Milk yield and components, TH254  
 Milk yield response, 593  
 Milking, TH113  
 Milking frequency, T101, W195, TH111, 14, 450  
 Milking interval, 14  
 Milking techniques, T69  
 Millennials, 363  
 Mineral, W15, W16, W100, 179, 614  
 Mineral composition, T40  
 Mineral digestibility, 190  
 Mineral metabolism, TH242  
 Mitochondria, 769  
 Mitochondrial efficiency, 767  
 Mixed model, 4, 527, 621, 625  
 Mixed probiotics, W283, W284, W285  
 Mixed semen, TH176  
 Mixing, 381  
 Mobile nylon bag, W225, TH209  
 Mobilization, T259  
 Model, T244, T258, W22, TH51, TH273, 57, 126  
 Model choice, W41  
 Model selection, 527  
 Modeling, T265, 189, 304, 308, 755, 796, 797  
 Modified three-step in vitro procedure, 588  
 Monensin, T286, W200, W268, W272, W273, 736  
 Monensin concentration, W223  
 Monitoring, 676  
 Monounsaturated fatty acid ratio, W19  
 Monozygous twins, W142  
 Montbeliarde, 762  
*Morinda citrifolia*, 52, 779, 780  
 MorindaMax, 155  
 Morning or afternoon grazing, W197  
 Mortality, TH196  
 Mortality rate, T4  
*Morus alba*, W92  
 MOS, T163, T166, 368  
 Mothering ability, 529  
 Motivation, 379  
 Mouse, 682  
 MPC, W89  
 mRNA, W56, 104, 198, 686, 696  
 mRNA expression, TH79  
 mTOR signaling, TH154  
 Mucuna, 159  
 Multibreed, T23, W36, W39  
 Multibreed evaluation, 630  
 Multimedia, 365  
 MultiMin W18  
 Multinutritional blocks, T84  
 Multiple lactations, 620  
 Multiple trait random regression model, T26  
 Multisubstrate, 694  
 Multivariate analysis, T230  
 Murine model, 250  
 Muscle, T176, W19, W149, TH77, TH78, 558, 559  
 Muscle cellularity, TH63  
 Muscle development, TH59  
 Muscle mitochondria, T177  
 Muscle protein deposition, 662  
 Muscle-derived cell, TH73  
 Muzzle, 389  
*Mycobacterium avium* ssp. *paratuberculosis*, 50, 154  
 Mycoplasma, 143  
 Mycotoxins, T98, W7  
 Myoepithelial cells, 660  
 Myosin, 459  
 Myosin cross-linking, 560  
 Myosin heavy chain, T126  
 Myostatin, TH64, 691  
 Myotube formation, TH59
- ## N
- NAIS, TH90  
 Nano selenium, 103  
 National dairy herd, T17  
 Native casein concentrate, T52  
 Native range, W270  
 Native whey protein, TH33  
 Natto, TH70  
 Natural market, 463  
 Natural vitamin E, 109  
 Natuzyme, W126  
 NBA, W293  
 NEFA, 248  
 Nellore, T243, W251  
 Nellore cattle, T120  
 Neonatal pig, 662  
 Net energy, 782, 783, 795  
 Net energy for maintenance, 321  
 Net feed intake, T119  
 Net flux, 393  
 Net return, T283  
 Neutral detergent fiber, T244, W95, TH56, TH57, TH227, TH260, 94  
 Neutral detergent fiber digestibility, T79, W231  
 Neutral detergent fiber digestion, TH53, TH54, TH55, TH56  
 Neutrophil, T8, T11, 160  
 Niacin, TH244, 108, 200  
 Nicotinic acid, TH234  
 Ningxiang barrow, W125  
 Ningxiang pig, 781  
 9th- to 11th-rib section, TH82  
 Nitric oxide, 690  
<sup>15</sup>N, T248  
 Nitrogen, T229, W92, W98, TH151, TH263, 306, 589, 590, 790  
 Nitrogen amendment, 550  
 Nitrogen balance, TH253, TH266, 188  
 Nitrogen digestibility, TH144  
 Nitrogen efficiency, 189, 343, 592  
 Nitrogen excretion, TH253  
 Nitrogen fraction, TH272  
 Nitrogen intake, 217  
 Nitrogen loss, W184  
 Nitrogen metabolism, T130, T226, W62, 78  
*S*-Nitrosoglutathione, 690  
 nNOS, T179, T180  
 Nondomestic, 636  
 Nonfiber carbohydrates, T192, TH211, 581  
 Nonforage fiber, 585  
 Noni, 779, 780  
 Nonlinear mixed modeling, T236  
 Nonlinear reaction norm, 757  
 Nonprotein nitrogen, TH259, TH260, TH261, TH266, TH289  
 Nonreturn rate, T18  
 Nonruminant, 299, 469  
 Nonstarch polysaccharide hydrolysis

- products, 695  
 Nonstarter bacteria, 135  
 Nonthermal, TH32  
 Nonthermal processes, 642  
 Northeast, 269  
 Novel endophyte, 597  
 Noxious gas, T143  
 NPP, TH120  
 NRC equation, TH99  
 Number of motile sperm, 570  
 Nursery, 777  
 Nursery diets, TH139  
 Nursery performance, TH186  
 Nursery pig, T163, TH132, TH145, 773, 774  
 Nutraceutical feed, W110  
 Nutrient, W65, TH93, 131  
 Nutrient composition, T64, 634  
 Nutrient digestibility, W137, W284  
 Nutrient digestion, T209  
 Nutrient excretion, 199, 312, 712  
 Nutrient modeling, 309  
 Nutrient utilization, 797  
 Nutrigenomics, T227, 125  
 Nutrition, T178, W205, W256, TH85, 64, 89, 132, 278, 299, 415, 441, 606, 631, 636, 639  
 Nutritional environment, 638  
 Nutritional profile, 587  
 Nutritional requirement, T281  
 Nutritional value, W107  
 Nutritional variability, 587  
 Nutritive value, T82, W104, TH215, 697  
 Nystatin, T11
- O**
- Obese ewe, 472  
 Obesity, 1  
 Obestatin, 73  
 Odor, W128, TH256, 703  
 Oilseeds, 332  
 Oligonucleotide array, 819  
 Omasal flow, 186  
 Omega-3 fatty acids, T59, W135, W139, 49, 129, 447  
 Omega-6, 447  
 OmniGen-AF, 250  
 Omnivore, 637  
 On-farm research, 226  
 On-farm systems, 226  
 Oocyte, TH162, TH178, 145  
 Oocyte quality, TH179  
 Opioids, 723  
 Optaflexx, 737  
 Optigen, TH259, TH260, TH261, TH266  
 Optigen II, TH262  
 Optimization, 8  
 Options, 519  
 Oregano essential oils, T138  
 Organ, W147  
 Organ weight, T131  
 Organic, T189, TH202, 89, 360, 820  
 Organic acids, T45, T50, T76, T155, 705, 706, 708  
 Organic beef, TH101  
 Organic dairy, T68  
 Organic fertilizer, W92
- Organic trace minerals, TH240, 101  
 Organic zinc, 103  
 Origin of heifer, TH195  
 Osmolality, 176  
 Osteopontin, 50  
 Ovarian activity, W161  
 Ovarian steroids, T180  
 Ovariectomy, TH65, TH108, 660  
 Ovary, 163  
 Ovine, 249  
 Ovine milk, 27  
 Ovsynch, W164, W165, W172  
 Ovulation, T185, W160, W167, 571  
 Ovulatory follicle size, W168, W170  
 Oxidation, 290  
 Oxidative stability, 513  
 Oxidative stress, W110, W261, TH95, 466, 467  
 Oxygen consumption, 393  
 Ozone, W98
- P**
- Palisade grass, T243, W251  
 Pancreas, TH61  
 Pancreatic  $\beta$ -cell MIF, 474  
 Paneer, 541  
 Panela, W78  
 PAP, W25  
 Parasites, T271, TH284  
 Paratuberculosis, 484  
 Parity, W293  
 Particle size, W209, W211, TH30, TH138, 580  
 Parturition, W149, TH165  
 Passage rate, 95  
 Passive immunity, 287  
 Passive transfer of immunity, 118  
 Pasteurization, W3, 653  
 Pasture, T103, W193, TH42, TH43, 187, 272, 438, 448  
 Pasture-based, 454  
 Pasture systems, 545  
 Pasture water-soluble carbohydrates, W197  
 Pathogens, 481  
 Paylean, T128  
 PCR, T91, 288, 751  
 PCR-TTGE, W294  
 PCV2, 158  
 PCVD, 158  
 Pea protein concentrate, 206  
 Peanut, TH288  
 Pectin, TH291  
 Pedagogy, 367  
 Pedigree, TH92  
 Pedigree analysis, T31  
 Pedometers, TH39  
 Pelibuey sheep, TH283  
 peNDF, 384  
*Penicillium oxalicum* Currie & Thom from goose, T133  
*Pennisetum purpureum*, 440  
 Perennial forage, W101  
 Perennial peanut, W102  
 Performance, T116, T193, W250, W252, W296, TH189, TH190, TH191, TH192, TH193, TH194, TH200, TH201, TH218, TH222, TH282, 487, 756, 773
- Perilipin, TH60  
 Peripartum, 486  
 Periparturient, 154, 609  
 Peripheral blood mononuclear cells, W8, 607  
 Peripubertal lambs, TH80  
 Permeate, W89  
 Persistency, 455  
 Persistent follicle, W162  
 Personal preparation, TH100  
 Pesticide, W71  
 Pet food, 418  
 pH, T238, T239, W89, W255, TH221  
 Phage, W76  
 Pharmacokinetics, TH244  
 Phenol compounds, W110  
 Pheromone, 480  
 Phlorizin, TH3  
 Phosphorus, 601  
 Phosphate, 68  
 Phospholipids, W87  
 Phosphorus, T66, T235, W115, TH130, TH237, 68, 551  
 Phosphorus excretion, 107  
 Photoperiod, 120  
 Physical processing, W225, TH209  
 Physiology, TH171, 566, 634  
 Phytase, T150, T152, T156, 191, 192, 303  
 Phytic acid, 190  
 Phytobiotic, 707  
 Phytoestrogens, 475  
 Pig, T104, T111, T114, T128, T135, T141, T143, T150, T161, T162, T165, T166, T168, W34, W35, W50, W51, W117, W119, W120, W123, W124, W132, W136, W286, W290, W293, W299, TH2, TH61, TH62, TH125, TH128, TH130, TH131, TH135, TH136, TH139, TH142, TH146, TH149, TH153, TH159, TH160, TH167, TH171, 157, 197, 199, 201, 203, 208, 209, 241, 242, 243, 244, 291, 301, 312, 353, 354, 359, 360, 361, 378, 381, 406, 413, 468, 475, 529, 530, 561, 564, 565, 661, 693, 698, 699, 701, 702, 704, 705, 708, 710, 711, 712, 776, 779, 780, 782, 783, 787  
 Pig fecal bacteria, 358  
 Piglet, T134, T137, T155, W115, W118, W133, W281, W282, TH119, TH126, TH137, TH152, TH154, 190, 200, 205, 356, 707, 778  
 Piglet gastrointestinal ecology, 695  
 PigR gene promoter, T29  
 Pine cone meal, TH140, TH141  
 Placenta, W144, TH98, 470, 471  
 Plant essential oil, W217  
 Plant extracts, T141, W215, 220, 336, 739  
 Plant materials, TH7  
 Plant phenology, W107  
 Plant tannins, W247  
 Plasma lactose, 456  
 Plasma protein supplements, TH8
- Plasmid, T3  
*Pleurotus*, W230  
 Plum curculio, 360  
 PMB, T127  
 Podcast, 366  
 Pollutant, 658  
 Polymorphisms, W53  
 Polyphenols, W221  
 Polyunsaturated fatty acids, TH236, 448  
 n-3 Polyunsaturated fatty acids, TH230  
 Pony, TH86  
 Porcine adipocyte, TH60  
 Porcine adipose triglyceride lipase (pATGL), W141  
 Porcine plasma peptide fractions, W291  
 Pork, T112, T113, 62  
 Pork quality, 292, 293, 689, 785  
 Portal, T229  
 Portal flux, W124  
 Postharvest, 150  
 Postileal, W116  
 Postinsemination, 716  
 Postmortem, 557  
 Postmortem changes, 558  
 Postpartum, 479, 480  
 Postpartum cow, T5  
 Postweaning diarrhea, 157  
 Potassium, TH242  
 Potassium bicarbonate, 106  
 Poultry, 371, 674  
*Poultry Science*, 166  
 PPAR- $\gamma$ , 77, 681  
 Prebiotic, T140, W84, 112  
 Precision dairy farming, 655  
 Preconditioning, 392  
 Precursors, 149  
 Prediction, T56  
 Prediction equation, TH99  
 Predictive model, T274  
 Preference, TH136  
 Pregnancy, 376, 470, 471, 476  
 Pregnancy diagnosis, W190  
 Pregnancy rate, 721  
 Pregnancy success, 300  
 Pregnant gilt, TH63  
 Preimplantation embryos, TH182  
 Prenatal nutrition, W146  
 Prepartum feeding, T217  
 Prepubertal, TH65  
 Prestimulation, TH113  
 Prevalence, W58, W59, W298, 483, 484  
*Prevotella*, 39  
 PRID, 716  
 Principal component analysis, W42  
 Probiotic, T140, W78, W81, W84, TH10, 44, 111, 112, 423, 424, 426, 427, 610  
 Process cheese, T52, T57, 25, 138, 139  
 Processing, TH32, 227, 584  
 Processing stress, 749  
 Production, TH19, 16, 230, 766, 793  
 Production and functional traits, 405  
 Production research, 34  
 Productive life, T19, 13  
 Productivity, 87



- Profitability, W20, TH101, TH273, 9, 593
- Progeny growth rates, TH80
- Progeny test, 10
- Progeny testing, 11
- Progesterone, T182, W154, W155, W156, W159, W162, W166, W188, TH184, 237, 473, 476, 715, 716, 720
- Progesterone catabolism, 478
- Progestin, TH169, 717
- Proinflammatory cytokines, T11, TH137
- Prolactin, TH110, 685
- Prolificacy, TH277
- Properties, 643
- Propionate, TH66, 72
- Propylene glycol, W200
- Prostaglandin, W155
- Prostaglandin-F<sub>2α</sub>, W172, 714
- Protein, T280, TH31, TH49, TH155, TH159, TH247, TH265, 639, 772, 776
- Protein catabolite, 175
- Protein degradability, 499
- Protein degradation, TH271
- Protein metabolism, 203
- Protein oscillation, W242
- Protein oxidation, 560
- Protein sources, W238, W240
- Protein supplementation, W93, 593
- Protein synthesis, W243, TH154
- Protein turnover, W63
- Proteolysis, 556
- Proteolytic system, 423
- Proteome, W149
- Proteomics, W60, 559, 605
- Protozoa, T221
- Proximate components, 207
- Puberty, TH170, 316, 375, 765
- Puberty criteria, W154
- Pulse width, TH32
- Pulsed electric field, 647
- Purine derivatives, 590
- Pyrolysis, T105
- Q**
- Quality, T120, TH29, 62, 150
- Quantitative genetics, 169, 171
- Quantitative PCR, TH103
- Quantitative real-time RT-PCR, TH129, 31, 526
- Quantitative trait loci, T30, 412, 413, 611
- Quantitative trait loci mapping, T32
- Quarter horses, 548
- Queso, T49
- R**
- Rabbit, W127
- Ractopamine, 295, 382, 711
- Ractopamine hydrochloride, TH124, 218, 461
- Radiotelemetry, W192
- Ram, TH279
- Random regression model, 9
- Range, 313
- Range sheep, T63
- Rank correlation, W33
- Rank reduction, 621
- RAPD PCR, TH10
- Rare earth, TH122
- Rate of digestion, W216
- Rate of passage, W216
- Ration formulation, T65
- Ration variation, 315
- Rat, W291
- Raw, 178
- 16S rDNA, W280
- 16S rDNA gene, T230
- Reactive oxygen species, 466
- Real-time PCR, 55
- Real-time ultrasonography, W151, W152
- Rearing cost, 9
- Recalls, 265
- Receiving cattle, 391
- Receiving weight, 746
- Receptor blockers, TH78
- Recombinant bovine somatotropin, W183
- Reconstituted milk, W73
- Record, 602
- Recruitment, 501
- Rectal temperature, TH185, 374, 578
- Reduced fat, T40
- Reference, 117
- Reflective, 318
- Refractometer, 387, 388
- Regression splines, 618
- Regulatory, 417
- REML, W30
- Rennet coagulation, 514
- Replacement, 8
- Replacement growth, TH187
- Reproduction, T222, T228, W24, W171, W187, TH198, TH199, 224, 282, 302, 317, 372
- Reproductive development, 475
- Reproductive management, 90
- Reproductive performance, W121, 194
- Reproductive traits, W51, 16
- Reproductive traits in heifers and cows, T24
- Reproductive trend, T18
- Requirements, W61, 229
- Research, 32, 36, 275, 298, 345, 422, 493, 566
- Residual feed intake, T177, W24, W269, TH81, 74, 211, 212, 316, 317, 412, 623, 768, 769, 771
- Resistance, 397
- Resistant starch, W78
- Respiratory disease, 386
- Response, 659
- Restricted grazing, 591
- Restriction, TH153
- Resveratrol, W141
- Retained energy, 321
- Reticular temperature, TH204
- RFL, W276
- RFLP, W280
- Rheological properties, 516
- Rheology, T41, T48, T52, 41, 514
- Rice, TH23
- Rice protein concentrate, T16
- Rice straw, 801
- Riding courses, T288
- Ripollesa breed, 760
- Risk, 654
- RNase, 807
- Robotic milking, TH208
- Robust regression, 532
- Rotational grazing, TH45
- Roughage, 799, 802
- RT-PCR, TH167
- RU486, T173
- Rubber flooring, W11
- Rumen, T220, T235, T262, T266, TH212, TH232, TH270, 37, 340
- Rumen BAC library, T231
- Rumen bacteria, T256, W280, 336
- Rumen degradability, TH251
- Rumen-degradable protein, T192, TH50, TH252, TH259, 731
- Rumen degradation kinetic, TH254
- Rumen development, 58
- Rumen ecology, 39
- Rumen fermentation, T205, T237, T279, W202, W215, W224, W235, 737
- Rumen fill, W216
- Rumen kinetics, W202
- Rumen microbes, 342
- Rumen microbial community, T230
- Rumen microbiology, T252
- Rumen pH, 384
- Rumen protozoa, 334
- Rumen sampling, T252
- Rumen-undegradable protein, TH252, TH268, TH271, 588, 731
- Rumensin, T195
- Ruminal acidosis, 788
- Ruminal bacteria, T255, W277, TH223
- Ruminal bacterial population, W247, TH219
- Ruminal bolus, 347
- Ruminal buffer, W255
- Ruminal degradation, T97
- Ruminal disappearance, W255
- Ruminal epithelium, T260
- Ruminal fermentation, T210, 582
- Ruminal fill, 435
- Ruminal metabolism, 335
- Ruminal microbes, T248
- Ruminal papillae, TH70
- Ruminal pH, W211, W212, 344
- Ruminal synthesis and intestinal disappearance, TH235
- Ruminant, T229, T236, W256, TH79, TH215, TH250, 57, 304, 489, 491, 544, 797
- Rumination, W209
- Rural Veterinary Service, 116
- S**
- Saanen, T273
- Safety, W69, 543
- Sainfoin, T242
- Salmonella*, T3, T76, 380
- Salt, TH294
- Salt resistance, 45
- Salted goat yogurt, 517
- Sampling rate, T64
- Sandwich ELISA, W90
- Sarcomere length, T125
- Satellite cells, TH76, 122, 661
- Saturated fatty acids, 640
- Scope of inference, 222
- Scrapie, 821
- Season, T4, 497
- Season of birth, 346
- Seasonality, 283
- Seaweed extract, W120
- Seed legumes, TH271
- Selection, W182, 5, 65, 355, 439, 536
- Selenium, W261, TH97, TH98, TH129, TH243, TH245, 104, 105, 197, 286
- Selenium supplementation, TH74
- Selenium tissue concentration, TH74
- Selenized yeast, TH236, TH243
- Selenoprotein, 198
- Self-fed, TH49
- Semen, TH84, TH279, 285, 722
- Semen quality, W50
- Seminal plasma, TH172
- Sensitivity test, T9, T10
- Sensorial acceptance, T118
- Sensory, T124
- Sensory analysis, TH34
- Sensory attributes, 462, 804
- Sensory profile, T39
- Sensory quality, 296
- Separated manure solids, 305
- Separation, 510
- Sericea lespedeza*, T285
- Serotonin, TH111, 3, 451
- Serotonin receptors, 451
- Serratia marcescens*, 253
- Sertoli cell, TH170
- Serum amyloid A protein, TH60
- Serum cholesterol, TH140
- Serum cytokines, T163
- Serum parameters, T211
- Serum proteins, TH20, 510
- Service learning, 506
- Sexed semen, TH173, TH174, TH175, 603
- Shape index, TH166
- Shear force, 461
- Sheep, W145, W238, W240, W258, TH210, TH273, TH274, TH277, TH284, TH285, 76, 228, 229, 230, 314, 348, 349, 350, 383, 474, 493, 495, 497, 670, 671, 744, 759
- Sheep and goat, T54
- Sheep products, 231
- Shipping fever, 385
- Show, TH89
- Sickness behavior, 380
- Silage, T82, T89, T93, T94, T95, W91, 96
- Silage additive, W235
- Silage hybrid, T196
- Silage inoculants, T90
- Silage quality, T89
- Silvopasture, T275
- Simplified assay, W76
- Simulation, T84, W190
- Simulator, T167
- Simultaneous models, T233
- Sire, 353

- Skatole, 291, 358  
Skeletal muscle, 122, 277, 278, 459, 460, 663  
Skin temperature, 86  
Slaughter age, T114, 354  
Slaughter weight, 297  
SLC1 gene expression, 665  
SLC2 and SLC5 gene expression, TH75  
Slick hair gene, 82  
Small intestine, 665  
Small ruminant, TH280, TH281  
SMartNose, 187, 539, 815  
SNP, T29, W9, W51, W54, 524, 525  
SNP marker, 29  
SNP profile validation, 403  
SNP-mortality association, 408  
SNP validation, 405  
Sodium bisulfate, TH127, 199  
Sodium gluconate, T44  
Sodium selenite, TH236  
Sodium-dependent Pi absorption, TH130  
Soft cheese, 26  
Software, 658  
Soil temperature, 755  
Soja feeding, W243  
Solid-phase microextraction, TH34  
Solid-state fermentation, W112, W113  
Somatic cell count, T272, 27  
Somatic cell score, T14, 13  
Somatotropin, T16, T189, 274  
Sorghum, 98, 462  
Sorghum processing, TH210  
Sorting, W198, W201, W209, 219  
Source, 193  
Southeast, 271  
Sow, W137, W295, W296, W297, TH150, TH168, TH169, 202, 369, 468, 683  
Sow longevity, W52, 531  
Sow productivity, W292, 487  
Soy protein concentrate, TH69  
Soybean curd, W229  
Soybean hulls, T83, TH132, 697, 698  
Soybean meal, T181  
Soybean oil, T205, T206  
Soybean products, TH138, 206  
Soybean protein, TH251  
Spanish language training, T70  
Spearmint, 26  
Spectroscopy, T53  
Sperm, W302, 568  
Sperm preincubation, TH177  
Sperm quality, T33  
Spermatogenesis, W56  
Spermatidhesin, TH172  
Sphingomyelin, W87  
Spices, 541  
Spray-dried animal plasma, 595  
Spray-dried egg, 773  
Spray-dried milk powder, W72, W73  
Spreads, 541  
Sprinkler, 752  
SREBP-1, 677  
Stability, TH18  
Stability of proofs, 619  
Stabilized rice bran, W130  
Staining procedure, 27  
Stall design, 153  
Stall waste, 550  
Stallion, TH84, 285  
Standardized ileal amino acid digestibility, 209  
Stanniocalcin, 455  
*Staphylococcus aureus*, T9, 247  
Star probe, 293, 689  
Starch, T57, T87, W123, W226, 38, 60, 583, 585  
Starch availability, 736  
Starch digestibility, T85, T88  
Stargrass, TH48, TH50  
Starter media, 538  
Starter pig, 191  
Statistics, 223  
Stearoyl-CoA desaturase, W55  
Steer, W20, W147, W234, W257, W260, W264, TH197, TH220, TH221, 213, 600, 726, 754, 800  
Stem cells, 54, 553  
Stereoisomers, 109  
Stereoscopy, T55  
Stochastic dominance, 90  
Stochastic simulation, 655, 656  
Stockers, TH40  
Stocking density, TH4, TH45  
Stocking rate, T275  
Stockpiled tall fescue, 97  
Stockpiling, W103  
Stored swine manure, W177  
Straw, W201, TH229, 495  
*Streptococcus bovis*, T90  
*Streptococcus thermophilus*, W77, W80  
Stress, TH1, 152, 245, 594  
Structured lipids, 513  
Students, T290, T291, 362  
Study design, 225  
Subprimal yield, T123  
Subproduct, TH280, TH281  
Substrate, T94  
Substrate regulation, TH75  
Sucrose, T197, 40, 787  
Sucrose and starch, TH211  
Sugarbeet pulp, TH220, TH221, 703  
Sugar cane, TH224  
Sulfate, TH128  
Sulfur, TH286, TH287  
Sunflower, T202, T250  
Sunflower, crushed, T83, T234  
Sunflower oil, W278, W279, 328  
Supplement, T284, TH49  
Supplemental saturated fatty acids, TH206  
Supplementation, W16, W248, TH44, TH47, TH71, TH72, 97, 313  
Supplementation frequency, 733  
Surface hydrophobicity, TH25  
Surveys, 259  
Survival, W14, 529  
*Sus scrofa*, TH129  
Susceptibility tests, T12  
Sward structure, TH37  
Sweet potato, T111  
Swine, T73, T109, T164, W302, TH1, TH64, TH151, 35, 192, 193, 245, 352, 380, 382, 411, 433, 533, 535, 562, 567, 663, 700, 706, 785, 818  
Swine jejunal epithelial cells, T170  
Swine leukocyte antigen, 411  
Swine nutrition, 298  
Swiss cheese, T50, T53  
Symbiotics, W70  
Synchronization, T279, W153, W157, W159, W161, W188, W191, W227, 715, 719  
Synthetic, 469  
Systems biology, 528
- ## T
- 3T3-L1 cells, TH164  
Tall fescue, TH38, TH40, TH41, 597  
Tannin, T129, T242, T271, W96  
Tannins, W275  
Target, 276  
Taste panel, T287  
Taste receptor, T135  
Teaching, T287, T289, 172, 362, 363, 364, 422, 503, 546  
Teat dip, 253  
Teat dipping, 254  
Teat end, 252, 254  
Teat fed, 236  
Teat skin, 252, 254  
Technological properties, W80  
Technology, 282  
Temperament, W37, TH205, 320, 576, 577, 629, 747  
Temperature, W8, 85, 515  
Temperature-humidity index, 84, 86  
Temperature monitoring, TH204  
Temperature tolerance, 372  
Temporal variables, TH83  
Temporal/spatial distribution, 436  
Tenderness, W26, 212, 404, 465, 557, 560  
Tennessee stiff-legged, 758  
Test-day milk, 17  
Test-day model, T14, 619  
Texture, T57, 137  
Thermal stability, W68  
ThermalCare, 59  
Thermochron, 85  
Thermography, TH207  
Thiazolidinedione, T183, T184, 77  
30-kDa component, 556  
Three-step, T245  
Threshold linear model, 17  
Threshold models, 530  
Thyroid hormone, TH243  
Tibet pig, TH157, TH158  
Tifton 85, T81, W103, 94  
Tight junction, 452  
Timed AI, W163, W164, TH278  
Tissue, T156  
TLR9, 22  
TMR particle size, W210  
 $\alpha$ -Tocopherol, TH96  
Tolerance, T28  
Total gas production, T232  
Total protein, 576  
Trace minerals, TH125, 100, 102, 667  
Training, 169, 171, 173  
*Trans-10, cis-12 CLA*, 555  
*Trans* fatty acids, T257, 119, 640  
Transcriptional profile of *Lactobacillus casei* ATCC 334, 46  
Transcriptional profiling, 30  
Transcriptome, 280, 281  
Transdifferentiation, TH73  
Transglutaminase, 20  
Transition, T259, W193, 248, 814  
Transition cow, T101, T183, T184, W205, TH67, 71, 77, 330  
Transition heifer, TH117  
Transition management, TH191  
Transition period, T197, T223, T224, W199, TH116, TH242, 81, 93  
Transmission, 115  
Transponder, 347, 500  
Transport, 243, 361  
Transport proteins, 66  
Transportation, 242, 244, 374, 577  
Transportation stress, 241  
Traumatic reticulitis, TH6  
Treated wheat straw, 803  
Trends, 230  
*Trichoderma reesei*, 238  
Triticale, 586  
*Triticum aestivum* L., 95  
Trophic, 637  
Tropical, T23, W34  
Tropical grass, TH44, TH47, 440  
Troponin-T, T126  
Tryptophan, W133, 200  
L-Tryptophan, TH152  
Tulathromycin, 386  
Tumor necrosis factor- $\alpha$ , W9  
Tumor suppressor genes, 162  
Turkish goat milk, 517  
Turnip, T250  
205-Day weight, W33  
Type A neurotoxin, W66  
Type appraisal, 761  
Type traits, T16
- ## U
- Udder hygiene, 153  
Ulcer, 549  
Ultrasound, W15, W38, 349, 350, 645, 646  
Ultrasound body composition, 577  
Ultrasound treatment, TH26  
Umami, T135  
Uncertainty, 654  
Undergraduate, T290, T291, 365, 546  
Undergraduate and graduate, 503  
Undergraduate education, 502, 504  
Undergraduate teaching, T288  
Ungulate, 636  
Unsaturated fatty acids, 677  
uPA, 810  
Urea, TH262, TH270, TH286, TH287, TH289  
Urea kinetics, T226  
Urea production, W63  
Urea transporter, T260  
Urease screening, T231  
Uterine pH, 300, 721  
Uterus, W145, 573  
Utilitarianism, 164  
Utilization, TH159, 544

## V

Vaccenic acid, T255, T257, 326  
Vaccination, 247, 348, 359, 391  
Vaccine, W27, 128, 158  
Value added, W175, 641  
Value chain, 231  
Variance components, T25, T32, W43, 620  
Veal calf, W262  
Vegetable oil, T203  
Venous blood gas, W257, TH220  
Veterinarians, TH91  
Veterinary shortage, 116  
Veterinary technician, 116  
Viable bacteria count, T264  
Virginiamycin, T136, T158, W252  
Viscosity, TH21  
Vitamin, 179  
Vitamin B<sub>12</sub> analogs, TH235  
Vitamin C, W264  
Vitamin D, TH238, 69, 661  
Vitamin E, W263, TH96, 51, 468  
Vitreous, 580  
Vitrification, TH178, TH183  
Volatile compounds, 539, 815  
Volatile fatty acid, TH216, 312, 338  
Volatile fatty acid absorption, 55  
Volatile fatty acid metabolism, 55, 788  
Volatile organic compounds, TH135, 310

Voluntary intake, 801  
Vulva size, T131

## W

Waiting time, TH113  
Warm-season forage, 448  
Warner-Bratzler, 293  
Warner-Bratzler shear force, 689  
Waste milk, 653  
Waste stream, W173  
Water, W174, W176, TH2, TH82, 793  
Water hardness, TH5  
Water intake, 213  
Water quality, TH35, TH36, 437  
WDGS, 725  
Weaned dairy calf, 386  
Weaned pig, W283, W284, W285, 368, 772  
Weaned piglet, W289, 694  
Weaning, W18, 156, 245, 392, 666, 823  
Weaning age, W292  
Weaning number, W292  
Weaning weight, W32, 628  
Weanling pig, T129, TH127, TH144, 195  
Weather, 750  
Web, 366  
Web site, 432  
Weigh estimation, TH86

Weight, W29, W40  
Weight at candling, W49  
Weight gain, T191  
Welfare, W297, 674, 676, 753, 756  
Welfare quality, 675  
Well-being, 240, 518, 676  
Western pleasure, TH83  
Wet distillers grains, 729, 732  
Wet distillers grains plus solubles, 734  
Wheat, TH264  
Wheat bran, W281, W282  
Wheat distillers dried grains with solubles, T165  
Wheat gluten, 216  
Wheat protein, TH258  
Whey and serum protein concentrate, TH19  
Whey protein, TH20, 20, 40, 114, 511, 649  
Whey protein concentrate, TH25, TH31, 43, 512  
Whole corn grain, TH283  
Whole-genome analysis, 6  
Whole milk, TH33  
Whole soybeans, TH248  
Wildlife, 115  
Wildlife species, 399  
Willow, 180  
Wilting, W91  
Winter feeding, TH229  
Wool, T63, TH274, 671  
Workshop, T68, T69, T70

Writing, 508  
Wulong goose, T130, TH120

## X

Xylanase, T139, W114

## Y

Y chromosome, T34  
Yeast, T73, T159, W64, W113, W208, W294, 370  
Yeast culture, T264, 88, 369, 740, 741  
Yellow grease, 91  
Yogurt, W70, W81, TH23, TH29, 516  
Yucca, T146

## Z

ZADO, 745  
Zearalenone, T131  
Zebu, W40, W45  
Zebu beef cattle, W46  
Zein, T85  
Zilpaterol, T123, T124, 459, 460  
Zilpaterol hydrochloride, 461  
Zinc, TH119, 66, 101, 193, 195  
Zinc methionine, 101  
Zinc oxide, W281  
Zoo, 631