

**American Dairy Science Association
American Society of Animal Science
Canadian Society of Animal Science**

Key Word Index

The author index is created directly and automatically from the submitted abstracts. If an author's name is typed differently on multiple abstracts, the entries in the author index will reflect these discrepancies. Efforts have been made to make this index consistent; however, error from author entry contributes to inaccuracies.

Abstract numbers preceded by T are Tuesday posters, numbers preceded by W are Wednesday posters, and numbers preceded by TH are Thursday posters; all other numbers indicate oral abstracts.

- A**
- Abattoir, 215
 ABC transporters, 325
 Absorption, T192, W331
Acacia mangium, W210
 Acanthopanax, W179
Acanthopanax senticosus extract, W152, W342
 Acaricides, 95
 ACC, 86
 Acceptability, W78
 Accounting for production, 32
 Acetate, M134, 90
 Acetylxytan esterase, W305
 Acid detergent fiber, 261
 Acid hydrolyzed ether extract, 776
 Acid shock, 523
 Acidification, 433, 572
 Acidifier, T177, W175
 Acidosis, M322, T284, 60, 62
 ACT, M352
 Active dry yeast, T265
 Activity, 382, 504, 508
 Acute fasting, W281
 Acute phase proteins, M321
 Acute phase response, 16, 195
 Adaptation, M159
 Additive, M105, M280, T191, T334, W132, W148, W182, 805
 ADF, M101
 ADG, T128, 625
 Adhesion, W80
 Adipocyte, T119, T134, T136, T137
 Adipogenesis, T131, T141, 233, 305
 Adiponectin receptors, 706
 Adipose, 289
 Adipose tissue, M216, T132, 119, 231, 312, 705
 Adipose tissue explants, 706
 Adipose triglyceride lipase (ATGL), 313, 314
 Adiposity, 537
 Adjustment factor, T37
 β -Adrenergic, W146, W147
 Adsorbent, T100
 Afilab, 14
 Aflatoxin, M58, W3, W46, 679, 682
 Aflatoxin B1, T80
 Aflatoxin M1, T80, T344
- African giant land snails, 569
 Age, M29, M173, 494
 Age at first kidding, T247
 Aging, M165, M171, M174
 β -Agonist, T306, W25, W182, 309
 Agreement, T243
 Agricultural byproducts, M104
 Agricultural threats, 272
 Agri-terrorism, 154
 AI, 63
 Air, 600
 Air bubbling, T242
 Air quality, 346, 809
 Alfalfa, M100, M105, M286, W115, 667, 671
 Alfalfa hay, M101, T107, W229
 Alfalfa maturity, M338
 Alfalfa (*Medicago sativa* L.), M95
 Algae, T307
 Alkaline phosphatase, T173
 Alkalis, W116
 Alkanes, 808
 n-Alkanes, T84
 Alternative feeds, M194, 234
 Alternative feedstuff, 237
 Alternative ingredients, 235, 236
 Altitude, M81, W215
 Aluminum tolerance, M95, 667
 Amen, M205
 Amino acid, M128, M134, T187, T190, T298, W279, W280, W288, 4, 304, 332, 333, 715
 Amino acid bioavailability, 285
 Amino acid digestibility, M202, 335, 336
 Amino acid restrictions, T186
 Amino acid transport, 485
 Amino acid transporter, M135
 Δ -Aminolevulinic acid, W159, W160, W161
 Aminopeptidase N, T143
 Ammonia, M186, T302, W165, W338, 78, 106, 109, 110, 114
 Ammonia emissions, 107
 Ammoniation, W120
 AMP-activated protein kinase, T131
 AMPK, T141, 86
 Anabolic steroids, 231
 Anaerobic digestion, 812
 Anaerobic fungus, T290
- Analysis, W299, 397
 Anatomy, 499
 Androgen receptor gene, M54
 Anestrus, M231
 Angiotensin-converting-enzyme-inhibiting peptide, W70
 Angus, M51, 515
 Anhydrous milk fat, W91
 Animal agriculture, 1
 Animal breeding, 503
 Animal experiment, M207
 Animal feed, W139
 Animal genetic resources, 542, 544, 545
 Animal growth, 610
 Animal health, 274, 646
 Animal identification, W108
 Animal model, M52, T248, 445
 Animal performance, W22
 Animal plasma level, W234
 Animal products, 26
 Animal science, 511
 Animal science careers, 512
 Animal stress, W311
 Animal welfare, M7, 26
 Anion emission rock powder, W158
 Anionic salts, 47
 Annual ryegrass, 756, 760
 Anovular, T221
 Antagonistic activity, T206, 676
 Anthelminthes, 95
 Anthelmintic, T355
 Anti-adhesion, 189
 Antibacterial activity, T181
 Antibiotic, T283, W167, W181
 Antibiotic resistance, M127
 Antihypertensive peptide, T54
 Antimicrobial peptides, T2
 Antimicrobial resistance, 215, 603
 Anti-nutritional compounds, 236
 Anti-obesity, W337
 Antioxidant, T72, T172, T194, W127, W176, 145, 447, 479, 679, 710
 Antioxidant activity, M283
 Antioxidant enzymes, W21
 Antioxidant status, T172, W149, W171
 Antioxidative capacity, W152
 Apoptosis, 342
- Apparent digestibility, T101
 Apparent efficiency of absorption, M35
 Apparent metabolizable energy, 681
 Appetite, 271
 Apple pomace, M283
 Apple waste, M279
 Arabi sheep, W54
Arcanobacterium pyogenes, 788
 Arginine, T121
 L-Arginine, M2, T189, 677
 ARISA, 578
 Aroma, W232
 Aromatase, M156, M226
 AROMEX, W162
 Artemisia, W179
 Artificial insemination, W105, 460, 531
 Artificial sweetener, 267
 Ash, M123, 557
 Asia, T155
 Assessment, M350, 144
 Assignments, 142
 Assisted reproduction, T133
 Audience response software, 533
 Autoaggregation, M87
 Availability, M190
 Avian, T112, W207, 541
 Aviplus, 213
 Azadirachtin, 612
 Azidiol, T68, W143
 Azidiol tablet, 529
- B**
- Baby food, 622
Bacillus, M33, W355, 270
Bacillus cereus, T66, T67
Bacillus cereus group, T67
Bacillus subtilis, W17
Bacillus subtilis (natto), T285, T286
 Backcross, 744
 Backfat and intramuscular fat, W346
 Backfat and lean muscle depth, 419
 Backfat thickness, W339
 Bacteria, T50, W242, 167, 182
 Bacteria counting, W143
 Bacterial crude protein, 807
 Bacterial ecosystem, M62

- Bacterial growth, T55
 Bacterial inoculant, 89
 Bacteriophage, 212
 Baking, 72
 Baleage, 794
 Baling technology, M344, M345
 Barley, M183, T323, 101, 670
 Barley based diets, T262
 Barley grain, M265, M296, W15, W16
 Barley silage, M265, T107
 Base cheese, M57
 Batch culture, M269, W294
 BayesB, W36
 Bayesian, T19
 Bayesian analysis, 203
 Bayesian inference, T23, 521
 Bayesian methods, 282
 BCC, 578
 BCS, T346
 Bed pack, 111
 Beef, M7, M49, M278, M351, T85, T152, T153, T154, T155, T156, T324, T330, W25, W30, W35, W302, 229, 230, 326, 329, 365, 379, 470, 621, 767
 Beef aging, T163
 Beef and dairy, M96
 Beef bulls, 380, 788
 Beef carcass traits, 625
 Beef cattle, M9, M38, M41, M42, M44, M169, M170, M251, T91, T104, T108, T252, T258, T266, T270, T283, T301, T313, T329, T333, T335, W24, W26, W31, W32, W51, W109, W261, 11, 12, 54, 78, 107, 113, 137, 201, 211, 220, 232, 248, 249, 302, 308, 309, 363, 370, 373, 460, 471, 609, 615, 618, 626, 628, 689, 756, 782
 Beef color, T162
 Beef cows, T105, T216, T227, T228, 135, 466, 467, 468, 531, 687
 Beef heifer, T212, T217, 307, 461, 462, 784, 785, 786
 Beef meat, 622
 Beef palatability, T163
 Beef quality, 328, 455
 Beef steer, T278, 369
 Behavior, M1, M4, M5, M11, T275, 91, 294, 296, 298, 383, 507, 598, 729, 733
 Benzoate, M280
 Best prediction, T38
 Betaine, T198, 185
 Betaine and CLA, T160, W150
 BHBA, W307
 Bifidobacteria, M77, W80, 527
Bifidobacterium, T61
Bifidobacterium animalis ssp. lactis, 524
 Bile, T62
 Bioactive substances, 648
 Bioavailability, T204, 557
 Bioethanol co-products, T103
 Bioethics, 26, 27
 Biofuels, W139
 Biohydrogenation, 77, 358, 711
 Biomass, 671
 Biomechanical property, T49
 Biomechanics, T173
 Biophotonics, 553
 Biosecurity, M80
 Biotechnology, M349
 Biotelemetry, 382
 Biotype, W27
 Birth stress, M27
 Birth weight, T248, W220, 269, 414
 Black, 179
 Black soldier fly, W219
 Blast chilling, M171, M172
 Bleaching, 751
 Blood characteristics, W156, W157, W160
 Blood metabolite, M231, M272, W251
 Blood parameters, M188, T336, W21, W161
 Blood sulfate, 688
 Blue mussel shells, M191
 Bluetongue virus, M21
 BLUP, 276, 398, 417
 BMP, 110
 Boar, W202, W339, 685
 Boar taint, M161
 Body composition, T111, W316, W332, 309, 454, 490, 616
 Body condition, M231, 244
 Body condition loss, 409
 Body condition score, T91, T216, 347, 403, 407, 566
 Body measurement, 615
 Body reserves, W286
 Body shape, 566
 Body temperature, T306, 686, 786
 Body weight, W188, 521, 561, 615
 Bolus particles, 126
 Bonding strength, 430
 Bone characteristic, W145
 Bone mineral density, T49
Bos indicus, T327, W27
 Bouhezza cheese, M60, M61
 Bovine, M257, T129, T305, T306, W53, 15, 22, 171, 193, 194, 311, 388
 Bovine genome, W48
 Bovine hepatocytes, 85
 Bovine mammary gland, 546
 Bovine mammary gland tissues, 319
 Bovine respiratory disease, W24, 609, 610, 619
 Bovine tissue, M243
 Bovine trypsin, W94
 Bovine viral diarrhea virus, M55
Brachiaria humidicola, W210
 Brahman, 451
 Brain, 779
 Branched chain amino acids, 124
 Brazil, W141, W142
 BRD, M23
 BRDU staining, T139
 Breed, M171, T21, T159, 415, 487, 518, 717
 Breeding, T32, T348, 176
 Breeding strategies, 275
 Breeding value, M49, T17
 Breeds, T109, T110, W315
 Brining, 436
 Broiler, M205, T165, W17
 Broiler breast, M175
 Broiler breeder, M234, 53
 Broiler chicken, W166, 103
 Broiler chicks, M185, M188
 Broiler growth, T172
 Broiler performance, T184, W178
 Broilers, M193, T198, W137, W149, W156
 Bronopol, 529
 Brown midrib, M341, 177
 Brown Swiss, 746, 747
 Browning reaction prediction, M74
 B-splines, T19
 bST, M156, T231
 Bt-maize, W19
 Buck effect, T350
 Buffalo, T23, T24, T230, W134
 Buffel grass, T93
 Buffers, T304
 Bull fertility, 31
 Bullocks, M164
 Bulls, M21, M248, 81
 Buttery, 67
 Butyrate, 58
 Butyrophilin 1A1, 654
 BVD, 601
 B-vitamins, T330
 Bypass fat, W263, W318
 Byproduct, M280, M281, M282, W121, W139, W317, 330, 361
 Byproduct feeds, 248
 Byproduct fiber, W302
- ## C
- Caco-2 cells, T52
 Cactus pear, M110, M111
 Calcium, M72, M165, W63, 148, 152, 719
 Calcium salt, W318
 Calcium supplementation, M324
 Calf, M28, M33, M124, W220, W227, W229, W231, 167, 530, 567, 571, 601, 602, 611
 Calf development, 223
 Calf management, M14
 Calf nutrition, T130
 Calf performance, W32
 Calf starter, 158
Calliandra calothyrsus, W323
 Calpastatin, 628
 Calves, M27, T86, T249, T268, W224, W225, W226, W228, 46, 175, 179, 182, 185, 295, 315, 508, 603, 696
 Calving difficulty, 742
 Calving season, T25, 54
 Camel chymosin, 432
 Camelina, T331, W258
 Camembert, T44
 Canadian Holstein cattle, W48
 Candidate gene association, 627
 Candidate genes, M137, W51, 220
 Cannulated pigs, T205
 Canola meal, 97, 225, 714
 Canola meal palatability, M15
 Canola oil, W253
 Caprine milk, M71
 Capsicum, T249
 N-carbamylglutamate, M2, T189, 677
 Carbohydrate, M89, T150, W222, 234, 579
 Carbohydrate fractions, W209
 Carbohydrate source, W5, 125
 Carbon dioxide, T51, W93
 Carbon footprint, 112
 Carcass, M50, M162, M164, W26, W27, W147, W308, W312, 487
 Carcass characteristics, M170, M267, T335, 59
 Carcass composition, M168, 250, 410
 Carcass contamination, W322
 Carcass dressing, T108
 Carcass quality, M194, 266, 339, 585
 Carcass trait, T101, T174, T322, T345
 Cardboard flavor, W85
 Career development, 512
 Careers, 511
 β -Carotene, M326, 635
 β -Carotene oxygenase, 635
 Carryover, T80
 Carryover effect, M207
 Carvacrol, 781
 Casein, 164, 166, 318, 426, 429
 β -Casein, M115, M151
 κ -Casein, M59
 Casein cluster, T34
 Casein concentrate, T75
 Casein micelle, 68
 Caseinomacropptide, T55
 Caseinophosphopeptide, W45
 Cassava meal, W263
 Castration, W30, 379
 Castration method, 380
 Cat, 205, 290
 Catabolic enzymes, M229
 Cattle, M17, M18, M22, M32, M43, M168, T78, T122, T127, T229, T271, 80, 114, 127, 209, 212, 253, 300, 366, 456, 465, 576, 582, 608, 619, 637, 686, 702, 721
 Cattle diet, T163
 Cattle performance, T322, 59
 Cattle Producer's Library, 532
 CD4 and CD8, W344
 C/EBP β , T120
 Cell count, 655
 Cell culture, M347
 Cell death, 145
 Cell signaling, M134, W279
 Cellular signaling, W288
 Cereals, M178
 Certification, 396
 Cheddar cheese, M75, 64
 Cheese, M58, M59, M63, M70, M71, M72, T46, T47, T69, 67, 71, 73, 431, 434, 436, 439, 526
 Cheese flavor, M67, M68
 Cheese food, M65
 Cheese microstructure, M69
 Cheese ripening, 652
 Cheese yield, 432
 Chelate, 555, 556
 Chelated minerals, W290
 Chemical composition, M104, M112, T342, W323, 98, 672

- Chemotaxis, 580
 Chew, M281
 Chewing, M329
 Chewing activity, M287
 Chick, 568
 Chicken, T200
 Chickpeas, M197
 Chicory, T95
 Chicory inulin, W168
 Children, 152
 China, W352
 Chinese Holstein cow, M264
 Chinese Holstein dairy cow, M144
 Chito-oligosaccharide, W161
 Choice, W232
 Cholecystokinin, 271
 Cholesterol, 325
 Cholesterol removal, 528
 Cholesterol-removed milk, M83
 Choline, W295
 Chromatin, 7
 Chromatography, W69
 Chromium, T136, T203, 728
 CIDR, T210, T212, T213, 63
 CIDR reuse, T211
 CIDR Select, T217
 Cinnamaldehyde, T257, 475
 Cisternal milk, M159
 Citrate, 178
 Citrate synthase gene, M95, 667
 Citrulline, T208
 Citrus pulp, 593
 CL function, W196
 CLA, M70, M125, M140, M154, T135, T159, T307, W264, W321, 324, 327
 Class IIa bacteriocin, 216
 Classification and discrimination of molecular spectra, W211
 Claw growth, 315
 Clay, M1
 Cleavage timing, 692
 Climate change, 542, 543, 544, 545
 Climate G×E, M51
 Clinical mastitis, T9
 Clofibrate, T124
 Cloprostenol sodium, T226
Clostridium difficile, 209
 Clustering analysis, 607
 CNCPS, T93, W310
 CNMP, 394
 CO₂, 166, 427, 428
 CO₂ stunning, 448
 Coagulation, T75
 Coconut oil, W244, W257
 Codon optimization, W92
 Cohesiveness, 439
 Collaboration, 534
 Colon cancer, W63, W91
 Colony cages, 378
 Color, M175, 456
 Colostrum, T114, T342, 151, 167, 182, 596, 696
 Colostrum replacer, W225, 47
 Colostrum supplements, 151
 Commercial, M132
 Companion animal, 208, 500, 501
 Comparative, T175
 Compensatory gain, T90
 Compensatory growth, T201, T207, 312, 450
 Competition, 91, 718
 Complement system, T351
 Complete blood count, M220, W201
 Compost, W208
 Computer models, 782
 COMT, 666
 Concentrate, W28
 Concentrate level, M294, T253, T254
 Conception, M233
 Conception rate, T33, T36, 31
 Condensed tannin, M92, M335, W274, W325, 156
 Condensed tannin concentration, 668
 Congenital deformity, 175
 Conjugated deoxynivalenol, T167
 Conjugated linoleic acid, M63, M245, M330, T40, T161, T337, W254, W344, 77, 358, 359, 360, 754, 796
 Conservation, W56
 Consumer, T81
 Consumer communication, 597
 Consumer perceptions, 642
 Consumer preference, W138
 Continuous culture, M130, M277, T303, T328, W274, 52
 Contracted tendons, 175
 Controlled-release urea, M131, T297
 Controversy, 150
 Conventional milk, 149
 Coobstrain, W215
 Copper, T355, W290, W292, 721
 Copper sulfate, W213
 Copra meal, 105
 Coproduct feeds, 13
 Co-products, M180, 226, 329, 713
 Co-products from bio-energy production, W211
 Corn, M298, T323, 363
 Corn amylase, W340
 Corn bran, M292, M293
 Corn co-products, 11, 337
 Corn gluten feed, 712
 Corn hybrids, W327
 Corn processing, M299
 Corn silage, M103, M341, M343, W113, W128, W132, 478, 663, 792
 Corn stover, M288, 184
 Corpus luteum, T219, T235, W197
 Correlation, W237
 Cortisol, 130, 387, 731
 Cost-benefit, 491
 CO-Synch, 466
 Course goals, 140
 (Co)variance, T29
 Covariance function, M46, M47
 Cow, M240, M334, T15, T86, T94, W197, W250, 2, 61, 243, 517, 518, 669, 698, 705, 707
 Cow comfort index, M13
 Cow cooling, 344
 COWP, 495
 Cowpeas, M184
 CpG, T14
 CpG ODN, 525
 Cream cheese, M66
 Creole Rodeo cows, T215
 Critical thinking, 496, 501
 Crossbred, M114, W28, W194
 Crossbreed, T327
 Crossbreed bulls, T158
 Crossbreeding, W315, 738, 739, 740, 741, 742, 743, 745, 746, 747
 Cross-hybridization, 38
 Crude protein, M262, T97, T199, T267
 Crushed sunflower seeds, W124
 Cryptosporidiosis, 611
 CSN2 gene, W40
 Cull cows, W29
 Culling, 658
 Culling rate, T239
 Culling risk, 351
 Culture-independent, W304
 Curd moisture, 752
 Curriculum, 500
 α-Cyclodextrin, 286
 Cysteamine, T176
 Cystic ovaries, W191, W192
 Cytochrome b5, M161
 Cytochrome P450, 693
 Cytokine, T132, W24, W166
 Czech Fleckvieh, W40
D
 Daily gain, W62
 Daily herbage allowance, 796
 Dairy, M132, M222, M237, M239, M275, M286, T5, T77, T218, T237, W96, W98, W100, W105, 20, 115, 155, 157, 171, 188, 245, 246, 353, 375, 376, 393, 474, 641, 691, 762, 800
 Dairy breed, T40, T248
 Dairy calf, M24, T246, W222, W221, W223, W234, 604
 Dairy cattle, M253, M329, T9, T22, T239, W99, W101, W133, W135, W140, W218, W258, 33, 34, 35, 126, 172, 294, 386, 503, 598, 727
 Dairy cow, M8, M11, M13, M100, M129, M131, M155, M158, M216, M219, M220, M226, M230, M233, M255, M261, M263, M284, M285, M287, M289, M291, M295, M296, M301, M303, M316, M324, M326, M328, M346, T7, T57, T89, T209, T220, T221, T222, T254, T255, T262, T274, T291, T297, W2, W3, W11, W13, W14, W15, W16, W119, W128, W195, W198, W201, W245, W247, W248, W255, W257, W272, W293, W306, 49, 91, 111, 118, 247, 340, 341, 360, 371, 384, 453, 475, 477, 481, 547, 607, 708, 712, 724, 741, 791, 793, 797, 798
 Dairy ewe, M152
 Dairy expansion, T236
 Dairy extension, W103, W104, 186
 Dairy farm, M305, 112
 Dairy foods, M86
 Dairy goat, W67, 317, 322, 323, 594
 Dairy heifer, M246, M271, T210, W235, W236, 168, 296
 Dairy industry, 656
 Dairy ingredients, W66, W69, 160
 Dairy management, 660
 Dairy nutrition, 52, 713
 Dairy processing, W83
 Dairy production, 93
 Dairy products, 755
 Dairy proteins, 160
 Dairy sheep, T341
 Days open, T33, 351
 DCAD, 720
 DDGS, M177, M187, M193, M199, M202, M212, M265, T107, T152, W211, 59, 103, 327
 DDX3 subfamily, W53
 Death risk, 351
 Decision support system, T236
 Decision tree, T13
 Decision-making behavior, W104
 Defecation, M16
 Deficiency, 722
 Degradability, M340, T267
 Degradation, W125
 Dehydration, M17, 453
 Demand growth, 542
 Denatured, M73
 Density, W113
 Dent, W328
 Deodorase, T302
 Deoxynivalenol, W185
 Desaturase, M140, T125
 Desert environment, 385
 Detergent system, W298
 Developing countries, 543
 Development, M214, T112, T309, T310, 541
 Developmental program, 445
 DEXA, M168
 Dexamethasone, 538
 DFM, 270
 DGGE, W349
 DHA, T106, T120, 733
 DHI, T343, W7, W8
 DHI laboratory, 14
 Diagnosis, 273
 Diarrhea, T185, T199
 Diet, T159, W316, 87, 560
 Diet selection, 505
 Diet types, M211
 Dietary antioxidants, T300
 Dietary Ca, 720
 Dietary carbohydrate, 268
 Dietary cation-anion difference, M107, M324
 Dietary CP, T185
 Dietary energy, M295
 Dietary glycerol, M273
 Dietary protein, M303, M315, T188, 56
 Dietary supplementation, 389
 Dietary supplements, 208
 Differentiation, T134, T137
 Digestibility, M98, M99, M108, M179, M190, M197, M206, M293, M298, M300, T176, T178, T198, T252, T288, W117, W120, W121, W123, W260, W289, 9, 87, 104, 249, 255, 260,

262, 286, 291, 519, 554, 590, 591, 670, 804
 Digestible energy, T88, 97, 99, 228, 678
 Digestion, M270, T318, T320, 133, 571, 573
 Digestion kinetics, 476, 803
 Digital imaging, 566
 Dilution rate, W267
 Dinoprost tromethamine, T226
 Dioxane, W300
 Direct-fed microbial, M322, T78
 Disease, M22, M325
 Disease economic impact, W1
 Distance education, 499
 Distance learning, 623
 Distillers, W29
 Distillers dried grains, 777
 Distillers dried grains with solubles, 104, 338
 Distillers grains, M261, M266, M269, T104, 60, 133, 249, 250, 251, 252, 255, 256, 326, 328, 480, 716, 726, 807
 Distillers grains with solubles, 715
 Diurnal response, W15
 Diversity, M355
 DMI, M229, 718
 DNA polymorphisms, T3
 Docosahexaenoic acid, W243
 Dog, 205, 286, 287, 288
 Doppler ultrasonography, T147
 Double choice, M210
 Double-Ovsynch, T214, 242
 Dried bovine colostrum, 46
 Dried distillers grains, T151, 135, 187
 Dried distillers grains with solubles (DDGS), M179, M264, T102, T103, 57, 136
 Drip loss, M6
 Dry glycerin, M130
 Dry matter, W113, 789
 Dry matter intake, W327, 596, 743
 Dry matter yield, T96
 Dry period, M158, W198, W201, 75, 88, 120
 Dry period length, M249, 340, 341, 342
 Drying method, M106, M181
 Drying-off, 347
 Dual energy X-ray absorptiometry, 490
 Duck, W18
 Duodenal infusion, T340
 Duration of contact, T349
 Duration of pregnancy, T240
 DXA, 557
 Dynamic programming, 661

E

Early lactating Holstein cows, 25
 Early lactation, T1, T279, 352, 481, 715, 728
 Early weaning, 305
 Eating, M4
 Eating behaviour, T321
 EBV, 36

ECG, T215, T232
 Economic, 55, 662
 Economic analysis, 399
 Economic model, 659
 Economic traits, 221
 Economics, M246, T222, 81, 658, 758
 EDTA challenge, 720
 Education, M349
 Effective degradability, T102
 Effective fiber, M288, 184
 Effective writing assignments, 140
 Effectiveness factor, T317
 Efficiency, M273, T308, T309, T310, T311, 121, 128, 399, 698
 Efficiency of nitrogen utilization, 762
 Efficiency of nutrient usage, 483
 Egg shell and yolk, W138
 Egyptian soft white cheese, M64
 Egyptian white pickled cheese, 522
 EHEC, T79
 Electrical stimulation, M117, M174
 Electrolyte balance, 226
 Electrolyte treatment, 219
 Electronic identification, T358, 488
 Electronic tags, W108
 Elevated levels of wet distillers grains, M267
 Elimination, M16
 ELISA, M55
 Embryo, M214, T112, 240, 541
 Embryo transfer, M247, T35, W191
 Emissions, 106
 Emulsifying properties, W72
 Emulsion, T71
 Emulsion stability, W66
 Encapsulation, T169
 Endogenous enzymes, 657
 Endometrial cytology, W14
 Endometritis, M253
 Endometrium, W189
 Endospore, W180
 Endotoxin, M244, T237, 22, 193
 Energetic value, M195
 Energy, M118, T205, T305, 9, 101, 134, 227, 680
 Energy balance, M232, T26, T27, 79, 88, 486, 741
 Energy concentration, 336
 Energy density, 710
 Energy deprivation, M150
 Energy expenditure, W335, 797
 Energy metabolism, 322
 Energy partitioning, W283, 790
 Energy requirements, 594
 Energy source, T329
 Energy supplementation, T315, T336, W261
 Energy values, 57
 Enriched housing, 734
 Ensilage, W120
 Ensiling time, W122
 Enteric pathogens, T206
Enterobacter cloacae, 197
Enterobacteriaceae, T63
Enterococcus, 196, 665
 Enterolactone, M331, M332
 Enterotoxin, T76
 Entrapped nutrients, M83

Entrepreneur, 498
 Environment, M252, W23, 393, 600, 810, 811
 Environment variation, T25
 Environmental, T191
 Environmental and genetic effects, W33
 Environmental chamber, 113
 Environmental effects, W34, W54
 Environmental enrichment, 378
 Environmental factors, W215
 Environmental impact, 637
 Enzymatic activity, W169
 Enzyme, T166, T190, T191, W275, 78, 237, 652, 653
 Enzyme supplement, 138
 Enzyme supplementation, 681
 Epigenetics, 7, 318
 Epithelial cell, M145
 Epithelial proliferation, M147
 Epithelium, 116
 Equine, T148, 507, 533
 Equine clubs, M348
 Equine manure management, T145
 Equine teaching programs, M348
 ER stress, 324
 Erythrocyte membrane, M230
Escherichia coli, M320, W95, W350, 215
Escherichia coli K88⁺, W153, W173, 189
Escherichia coli O157:H7, M92, M93, T78, T269, 211, 212, 214
 Esophageal feeder, M34
 Essential oil, T169, T250, T251, T253, T254, W164, W171, W172, W176, 52, 472, 473, 474
 Estradiol, M226, W193, W200, 464
 17 β -Estradiol, W204, 369
 Estrogen, W134, 82, 561
 Estrogen receptor, 562
 Estrous, 82
 Estrus, M233, 243, 687, 688
 Estrus detection aid, W96
 Estrus synchronization, T227, T350, 81, 247, 460, 461, 462, 463, 464, 468, 531
 Ethics, 28
 Eugenol, T252
 Evaluation, M113, 31, 496
 Evaporative cooling, 384
 Ewe, W324, 694
 Ewe lamb, M139
 Exanal, M333
 Excretion, M332, 559, 560
 Exon, W206
 Exopolysaccharide, T64, 65
 Exotics, 206
 Experiential learning, 497
 Exports, T155
 Expression, W70, W94
 Extended lactations, 37
 Extension, W111, 533, 534
 eXtension, 535
 Extension service, 510
 Extensive system, M251
 Extruded soybean, W254
 Eye, M23

F

Farming systems, W109
 Farms, M120
 Farmstead, 155
 Farrowing condition, M209
 Fat, T149, T243, T338, W247, W248, 571, 573, 629
 Fat deposition, 326
 Fat deposition and carcass merit in beef cattle, W49, 627
 Fat inhibition, 580
 Fat quality, 330
 Fat saturation, 480
 Fat sources, 357
 Fat-corrected milk per day of life, 740
 n-3 Fatty acid, 775
 ω -3 Fatty acid, T174
 Fatty acid, M81, M136, M137, M138, M146, M192, M195, M243, T40, T85, T152, T300, T341, W31, W75, W122, W262, W314, W320, W321, W346, 86, 117, 361, 377, 621, 622, 779, 780, 800
 Fatty acid composition, M212
 Fatty acid composition in beef cattle, W50
 Fatty acid oxidation, T124
 Fatty acid profile, 455, 777
 Fatty acid ratios, 438
 Fatty acid supplementation, 354
 Fatty acid synthase (FASN), W49, W50, 634
 Fatty acids oxidation, M333
 Fatty liver, 695
 3.5% FCM, T261
 FcRn, M26, M143
 Fear, 737
 Feature detection, M69
 Feature selection, 41
 Fecal and urine N, W334
 Fecal contamination, 210
 Fecal N, M305
 Feces, 82
 FECRT, 51
 FecXH, W55
 FecXI, W43
 Feed conversion, W178, W354, 128
 Feed cost, M131
 Feed deprivation, W322
 Feed efficiency, M98, M299, T84, T261, T312, 33, 127, 220, 308, 632, 782
 Feed enzyme, T170
 Feed intake, M9, M50, T31, T333, 402
 Feed management, 393, 394, 395, 396
 Feed restriction, 354
 Feed sorting, M291
 Feed storage, M263
 Feed system, 408
 Feed waste, 61
 Feedback, 140
 Feeder school, W107
 Feeding, W319, 735
 Feeding behavior, W240, W306, 295, 297, 381, 411, 413, 504, 509, 588

- Feeding level, M328
Feeding management, 783
Feeding strategy, 296
Feeding systems, 295
Feedline soakers, 385
Feedlot, M278, T109, T110, T164, T249, T273, T315, T321, T334, 10, 619
Feedlot cattle, T319, 250, 297
Feedlot diets, 262
Feedlot performance, M267
Feedstuff evaluation, M205
Feline, 291
Female fertility, 636
Females born alive, W136
Fermentability, 116
Fermentable carbohydrate, M307, T98, T99
Fermentable diet, T266
Fermentable fiber, 365
Fermentation, M113, M259, M269, M276, M279, T260, W116, W294, 213
Fermentation kinetics, W129
Fermentation profile, M341
Fermented, W77, 647
Fermented fish meal, M204
Fermented yak milk, 528
Fertility, M54, M234, T29, T35, T42, T214, T225, T231, W195, 3, 34, 35, 348, 391, 407, 685, 787
Fertility performance, 408
Ferulic acid esterase, W117
Fescue, M19, T147, 764, 765, 773, 774
Fetal, 443
Fetal growth, T127
Fetal growth restriction, T138
Fetal programming, T118, 8, 441, 442, 536, 537, 699
Fetus, 233, 540
FGF21, 703
Fiber, W123, W299, 253, 290, 678
Fiber analyses, W298
Fiber diameter, 519
Fiber digestibility, M311, 259
Fiber digestion, M306, W269
Fiber levels, W236
Fibrolytic enzymes, M342, T288, 87
Field peas, 99
Field trial, 565
Final score, 36
Financial, W100
Fingerprint, W118
Fingerprinting, M320
Finishing, M169
Finishing cattle, T325, 257
Finishing diets, T323
Finishing period, M183
Finishing pig, M162, M212, W155, W163, W187
Finite polygenic model, W60
First cross, 744
First follicular wave, 83
First ovulation, M326
Fish and canola oils, M219
Fish oil, M122, T307, W242, W249
Fish oil-canola oil, M220
5-day CO-Synch + CIDR, T217
Fixed-time AI, M254
Fixed-time artificial insemination, 786
Flavor, M15, M65, T72, T73, 67, 163, 751
Flax, M196
Flax hulls, M331
Flaxseed, T161, W47, W255, 454
Flaxseed hulls, T274, T282
Flaxseed oil, 353
Flint corn, M299
Flooring, M11
Flow cytometry, T68
Fluid milk, W76
Flunixin meglumine, 18
Fluorescence markers, 210
Fly control, W97, W218
Follicle, T229, T230, T233, W193, W199, 464
Follicular dynamic, M219, T232, T234, W198
Follicular fluid, M315
Follicular wave, T221, T223, W192
Food chain, 597
Food protein, 651
Food safety, M31, T64, 213, 217
Food security, 545
Foodborne pathogens, 153
Footbaths, W213
Forage, M93, M113, T85, T92, T150, T356, W109, W115, 134, 260, 262, 377, 664, 668, 716, 791, 800
Forage conditioning, W273
Forage conservation, W327
Forage ecology, 757
Forage economics, 302
Forage fiber, M91, M290
Forage intake, 136
Forage quality, M97, 671
Forage species, M337
Forage systems, 757
Foreign animal disease, 272, 273
Formula, 431
Fortification, T46
450-day weight, M45
Fox, 293
Fractionation, 159, 257
Free amino acid, M142, T160, W331
Free energy, 581
Free fatty acids composition, W81
Free-access feeding, 572
Free-range Iberian pigs, M173
Freeze drying, T65, W74
Freeze-dried milk powder, M66, M84, M85
Frequent milking, 548
Fresh cocoa husk mucilage, 569
Front face fluorescence spectroscopy, M74
FSH, 469
Fucoidan, T180, W151
Fumonisin, T168
Functional and production traits, W99
Functional dairy foods, 648
Functional food, 421, 646
Functional proteomics, M167
Functional traits, T16
Functional yogurt, M82
Functionality, M175, 162, 428
Functions, 719
Fungi, T44
Fusarium graminearum, 455
Fusarium mycotoxin, M3, T100
Fusarium spp., T167
G
G×E interaction, M48
Gait, W12
Gamma distribution, W42
Gammulin, T246
Garlic, T354
Garlic oil, 475
Gas chromatography, T125
Gas production, T256, W270, W271, 579, 803
Gas production technique, W276, W301
Gastrointestinal growth, T116, T117
Gastrointestinal nematodes, T355
GBV, 39
GCO, M60
GEBV, 282
Gender, M352
Gene, M218
Gene chip, T52
Gene expression, M121, M147, M148, M194, M217, T119, T124, T126, T139, T143, T235, W14, W24, W46, W237, W287, 120, 482, 549, 609, 610, 613, 630, 631
Gene expression profile, 316
Gene transcription, 121
Generalized linear mixed models, W59
Genetic correlation, M42, T27, T31, 413
Genetic diversity, W41, W56
Genetic evaluation, T20, 203, 276, 277
Genetic mapping, 44
Genetic merit, 119
Genetic origin, M237
Genetic parameter, M39, M44, M46, M52, M56, T17, T22, T26, 403, 406, 414, 416
Genetic selection, W26, 689
Genetic trends, M44
Genetic variability, 405
Genetic variant, W45
Genetic variation, 40
Genetically modified, W19, W208
Genetically modified Bt-maize, W20
Genetics, T32, T39, 176, 392
Genistein, T148
Genome, 171, 599
Genome-wide association, W39, 5
Genome-wide selection, W36
Genomic analysis, 203
Genomic evaluation, W38, 200, 278
Genomic prediction, 281, 624
Genomic PTAs, 41
Genomic selection, W39, 5, 169, 201, 275, 276, 277, 279, 280, 283, 284, 636
Genomics, M145, 117, 172, 305, 320, 700
Genom program, W205
Genotype, 278, 408
Genotype by environment, 515
Genotype by environment interaction, M45, 222
Geographic effects, M90
Geotrichum candidum, T56
Geranium citronella essence, W112
Gestating sows, 734
Gestation, 224, 227
Gestation length, T247
Gestational nutrition, 723
GHR, M215
Ghrelin, M222, 245, 697
GHS-R, 312
Gilt, M209
Ginger root, W149
GIP, W283
Global, 1
Globule, T48
Glucagon-like peptide-2, T116, T117
β-Glucanase, W137
Glucocorticoids, T118
Glucometer, 772
Gluconeogenesis, W284
Glucose, M228, M297, W282, 118, 771, 772
Glucose absorption, 267
Glucose kinetics, M300
Glucose metabolism, T113, T114, W2, 536
Glucose meter, 753
Glucose tolerance test, 697, 701
Glucose transport, W347
Glucose transporters, 769
Glucose uptake, W285
Glucosinolate, T259
GLUT8 gene expression, 546
Glutathione, 145
Gluten, 713
Glycerin, M271, M272, M274, M277, T331, W324
Glycerol, M270, M274, M275, M276, M278, W223, W317, 89
GnRH, M254, W192, W199, 246
Goat, M29, M241, M354, T231, T232, T250, T339, T342, T344, T349, T350, T351, T353, T354, T356, T357, T358, T359, W111, W217, W281, W312, W313, W316, W322, W325, W330, W332, W333, W335, W336, 63, 357, 374, 473, 504
Goat cheese, W81, 438
Goat colostrum, 492
Goat concentrate, 187
Goat kid, W285, W314
Goat milk, T337, T343, W73
Gonocytes, 263
Goose, T178
GPR109A, M241, 583
GPR41, 706
G-protein-coupled receptors, T122
GPS, T353
Graduate education, 511, 623
Graduate school, 513
Grain, 10
Grain adaptation, 254
Grain legumes, 189
Grain mixes, W235, W236

Grain processing, 256, 707
 Graphical diagnostics, 38
 Grass, W300, 766
 Grass hay, 590
 Grass silage, T314
 Grass-fed, 620
 Graze, 375
 Grazing, T83, T220, T298, W249, 298, 356, 759, 767
 Grazing dairy cows, M294
 Grazing management, 301, 795
 Grazing system, 756
 Grazing systems, 757
 Greenchop, W110
 Greenhouse gas, 112, 113
 Gross margin, W101
 Ground cover, W216
 Group, W224
 Group housing, M14
 Grow performance, 265
 Growing cattle, 131
 Growing lambs, W278
 Growing performance, T207
 Growing pigs, M208, T201, T207, W186, W345
 Growing-finishing pigs, W157, W164
 Growth, M166, T60, T115, W136, W180, W239, W358, 381, 442, 516, 558, 593, 595, 784
 Growth curve, M47, 303
 Growth factor, M77
 Growth hormone, T142, 550, 699
 Growth performance, M211, M258, T104, T182, T268, W170, W187, W214, W313, W340, 100, 198
 Growth stage, M337
 Growth technologies, 229
 Growth traits, M40, M41, M53
 Growth viscera, W150
 Growth weight, M48
 Guar meal, 100
 Guinea grass, 666
 Gut, 540
 Gut health, W175
 Gut hormones, W348

H

Hair coat shedding, W32
 Handling, M6
 Hand-plucked, T97
 Harvest date, 108
 Harvesting date, W328
 Hatchability, M234
 Hay intake, 669
 hCG, M119, T213, T215, W195
 Health, M24, M29, T16, T246, 23, 24, 392, 641, 647, 810
 Health risks, 150
 Health traits, 29, 30
 Health/disease, 662
 Heart, T138
 Heart rate, M240, 218
 Heat, M19, M20, 85
 Heat abatement, 344
 Heat detection, T33, W96
 Heat induced soluble complexes, 433
 Heat load, M240

Heat shock protein, M167
 Heat stability, W82, W90
 Heat stress, M17, M18, M222, M244, M255, T165, W251, 34, 89, 168, 343, 344, 384, 386, 564, 691, 728
 Heat-treated milk, 749
 Heavy pigs, M183
 Heifer, M99, T331, W237, W239, W240, W241, 306, 381, 509, 548
 Heifer development, M228
 Heifer progeny, 8
 Helminthes, 505
 Hematology, M224
 Herb extract, W157
 Herbage mass, T82, 796
 Herbal medicine, W145
 Herd curve, 783
 Herd life, 32
 Heritability, M42, T25, T31, W33, W34, 29, 221, 222, 402
 Heterogeneous correlation, 93
 Heterogeneous variance, T17
 Heterosis, 738, 739, 740, 747
 5-HIAA, 288
 High density SNP, 40
 High levels distillers grains, M268
 High protein distillers dried grains, 338
 High protein distillers grains, 714
 High protein soybean meal, M182
 High-concentrate diet, 13, 261
 High-fat protein, 356
 Hip height, W188
 Hispanic cheese, T45
 Histidine, M157
 Histology, M3, M185
 Histomorphometry, T49
 Histone, 7
 Histopathology, W21
 Historically African American, 755
 History, 748
 HMB, 123
 HMBI, 123
 HMBTA, T299
 Holstein, M8, T20, T30, T36, 767, 794
 Holstein cattle, M54, W38
 Holstein cows, W296
 Holsteins, W52, 402
 Hoof, 774
 Hoof care, W106
 Hormonal synchronization, 350
 Hormone, T116, T117, 239
 Hormone sensitive lipase (HSL), 314
 Horse, T147, T150, 768, 770, 771, 772, 773
 HorseQuest, 535
 Hot weather, M334
 Housing, 55, 264, 345
 Housing system, W214, 346
 HSP70, M2
 Human chorionic gonadotropin, T227, 467, 468
 Human health, 638
 Human milk, M146
 Humanism, 27
 Humate, 558
 Hydrocolloids, W71
 Hydrolyzed yeast, T263

Hydroponic forage, M94
 β -Hydroxybutyrate, M241
 Hypocalcemia, M232, M325
 Hypocalcemic, M126

I

Iberian pig, T160
 Ice cream, W64
 Ice crystals, W64
 Ideal protein, T190
 Identification, 491
 IGF, M215, 362
 IGF-1 (IGF-I), M227, M297, T142, 306, 450, 699
 IGF2, T126, 417, 419
 IGFBP-3, T123
 IgG, 46
 IgG1, M143
 IL-33, 525
 Ileal digestibility, M208, 776
 Ileal microbiota, W174
 Illness detection, M28
 Image analysis, M39
 Image processing, M69
 Immobilization, M79
 Immune, W230
 Immune function, 198
 Immune functions, W166
 Immune passive transfer, 492
 Immune response, M114, T32, W20, W350, 617
 Immune status, W159, 564, 691
 Immunity, M24, M192, W17, W160, 574, 702
 Immunity stimulation, W205
 Immunoglobulin, M26, M34, M35, W225, 596
 Immunological, T324
 Immunology, 190
 Immunomodulation, 197
 Immunosuppression, 235, 389
 Implants, M169, M170
 In situ dry matter degradability, M109
 In vitro, M266, M340, T219, W176, W303, W326, 259, 587, 589
 In vitro cecal fermentation, M203
 In vitro cumulative gas production, W265
 In vitro digestibility, 228
 In vitro fermentation, 805
 In vitro gas production, M94, 125
 In vitro method, 802, 803
 In vivo, W303
 Inbreeding, T30
 Incentive, 395
 Incidence, 29
 Incident command center, 274
 Inclined point quadrat, T82
 Income over feed costs, 181
 Index, 386
 Indicus-influenced beef cattle, 632
 Individual curves, 37
 Industry structure, 201
 Inert fat, W260
 Inflammation, 195, 551, 568, 690, 695

Inflammatory marker, T5
 Inflammatory reaction, T194
 Infrared, M22, M23, W354
 Infrared spectroscopy, M75
 Innate immunity, T3
 Innovative dairy teaching, 502
 Inoculant, W115, W128, 214, 663
 Inorganic and organic acids, W177
 iNOS, 84
 Insulin, M122, M215, M244, M297, W288, 693
 Insulin clamp, 701
 Insulin sensitivity, W262
 Insulin-like growth factor, M153
 Insulin-like growth factor-I, 292
 Intake, M132, M338, M339, T84, T279, T284, W323, 259, 573, 575, 789, 808
 Integrative biology, T311
 Intensive management, T346
 Interactions, 458, 459
 Interbull, T39
 Internal fat technique, W308
 Internet, 532
 Internet-based tools, T352
 Internships, 143
 Intestinal digestion, M266
 Intestinal marker, T208
 Intestinal microbiota, 646
 Intestinal morphology, T208, W154
 Intestinal mucosa, T189
 Intestine, M262, T200, W347, W348, 267, 268, 644, 723, 769
 Intramammary infection, W11, 17, 48
 Intramuscular fat, 449
 Intrauterine therapy, W13
 Inulin, W270, W342
 Involution, 549
 Iodine, T339, W67
 Iodine value, 327, 778
 Ionome, 457
 Ionophores, 13
 IPM, W97
 Iranian Holstein, T26, T27, T28
 Iranian indigenous chickens, M52
 Iranian indigenous goat, T41
 Iron, 576
 Iron amino acid complex, 293
 Isoflavones, W89
 Isolation, W304
 Isoleucine, 334
¹⁵N Isotope, 109
 Israeli Holsteins, 745
 IUGR, W343
 IVNDFD, M90

J

J5 vaccination, 15
 Japanese quail, W19, W20
 Jersey, 738, 739
 Jersey cows, T8
 Job opportunities, 510
 Jog, T144
 Johne's, W9
 Johne's disease, M56, W10
 Joint estimation, 283

Journal, 141, 143
Journal writing, 141

K

Kefir, W73
Ketogenesis, M121, 62, 223
 α -Ketoglutarate, 199
Ketone, W307
Ketosis, T16, 92, 473, 584
Kidding interval, T247
Kikuyu grass, T96
Kluyveromyces lactis, W92
Korral Kool, 385

L

L. buchneri, W118
LAB, T54
Laboratory course, M347, M349
Lactalbumin, W95
 α -Lactalbumin, M151, W79, 69
Lactate, 730
Lactating cow, M317, M318, T21, 83, 714
Lactating dairy cow, M323, W259
Lactating sow, W179
Lactating women, M146
Lactation, M20, M38, M116, M141, M148, M196, M225, T202, T295, W335, 119, 121, 239, 240, 318, 675, 698, 722, 763
Lactation curve, 493
Lactic acid, W16, W272, 708
Lactic acid bacteria, M70, T65, W87, W169, 216, 522, 526
Lactic acid processing, M296
Lactic bacteria, M61
Lactobacillus, T58, T65, W349, 523, 528, 645
Lactobacillus acidophilus, M79, T59
Lactobacillus acidophilus NCFM, T52
Lactobacillus casei, 64
Lactobacillus plantarum, W125
Lactobacillus reuteri, M87
Lactococcus lactis, W70, W94
Lactogenic hormone, 546
 β -Lactoglobulin, W58, W84, 425
Lactose, T196, T296, 753
Lactose intolerance, 640
Lactose synthesis, 323
Lactulose, W271
Lahontan cutthroat trout, 570
Lairage, 730
Lamb, T287, W127, W320, W324, 490, 595, 612
Lamb finishing, W318
Lamb meat, M117
Lambing, T348
Lameness, M1, W12, W106, 21, 345, 390, 717, 773
Laminarin, T180, W151
Laminitis, 25, 390
Large dairy herd management, 502
Larvae, 567
Laser microdissection, T139
Lathyrus sativus, W178
Latin square design, M207
Laying hen, M191, T175, 378
LDA, 51
Learning, 509
Least-cost ration, W110
Legume, M109, W300, 766
Legume forages, M102
Length of productive life, W33
Leptin, T115, W286, 307
Leucaena leucocephala, M106, W130
Leucine, 132
Leukocyte, M36, W127
LH, M129, M227, T234, W196
Light backscatter, 424, 752
Light intensity, 346
Light interception, T97
Light scattering, 68
Lignin, 666, 804
Limit feeding, W239
Limited access time, 669
Limpograss, 760
Linear conformation traits, 36
Linear programming, 661
Linear type traits, T20
Linkage disequilibrium, 43, 44
Linkage phase, 43
Linoleic acid, T119, W243, 77
Linolenic acid, W252, 355, 358
 α -Linolenic acid, T5
Linseed oil, W253
Linted whole cottonseed, M314
Lipase, 656
Lipid, M282, T164, 339, 620, 770, 771
Lipid metabolism, M140, 420
Lipid nutrition, 117
Lipid profile, T70
Lipogenesis, 700, 704
Lipolysis, M337, 656
Lipopolysaccharide, T237, 383
Liquid feed, 726
Liquid feeding, M180
Liquid whey, M73
Litter performance, T202
Litter weight, 673
Live weight, 21
Live yeast, T261, T266, T267, T270, W351
Liver, M218, M235, M239
Liver enzymes, W338
Liver metabolism, 354
Livestock, 95, 110, 377, 543
Liveweight gain, M250
Locomotion, T146
Logistic analysis, T41
Long-chain polyunsaturated fatty acids, M230
Longevity, 392
Longissimus, 621
Longissimus dorsi, T157, T158
Longissimus muscle, W321
Longitudinal analysis, 412
LongSage, 317
Long-SAGE, 316
Loss, 370
Low density chip, 41
Low fat, 73, 434, 439
Low fat cheese, 435
Low lignin hull, T322

Low oligosaccharide soybean meal, M182
Low quality roughage, T105
Low sodium, M68
Low-cost chip, 39
LPS, T148
LPS endotoxin, M321
Luteinizing hormone, 562
Luteolysis, T226
Lying behavior, M13, W11
Lymphoid organs, M3
Lys, W309
Lysine, M118, M317, M318, T295, 334
Lysine level, T197

M

MACE, 200
MACE proofs, W38
Machine learning, 349
Macrophages, W22
Magnesium, 588
Maguay, W212
Maillard, W68
Maillard reaction, T43
Maintenance, M118
Maintenance energy requirements, T313
Maintenance requirements, W332
Maize, 108
Major genes, W60
MALDI TOF, 655
Malic acid, T301
Malodor, W162
Mammalian target of rapamycin, M150, M153
Mammary, M143
Mammary development, M139
Mammary epithelial cells, M144
Mammary gland, W279, 118, 180, 316, 317, 320, 321, 322, 323, 325
Mammary gland tissue, 553
Mammary immunity, T15
Mammary infections, T11
Mammary lipogenesis, M245
Mammary metabolism, M142, T340
Management, M10, T239, W100, W217, W341, W353, 3, 20, 93, 168, 349, 397, 662, 717
Management systems, W103
Management traits, T34
Manganese, 576
Mangifera indica peel extracts, T11
Mannheimia haemolytica, 608
Manure, W219, W356, 109
Manure handling, 813
Manure spreading, T145
Manure storage, T145
Marbling, 232, 233, 620, 674
Marine algae, 481
Marine microbe, T174
Marker-assisted selection, 6, 280, 417
Markov chain, 661
Marsh Tacky, T146
Mass spectrometry, T140
Mastitis, T2, T4, T6, T7, T8, T10, T12, T14, T53, T263, W193, W200, 2, 15, 20, 76, 196, 383, 551, 665, 690, 788
Mastitis cost, T13
Mastitis economic impact, T13
Mathematica model, M94
Mathematical model, W129
Mathematical modeling, 37
Mature weight, 516
Maturity, M343, T18, 517
Maturity stage, M108, M112
Meat, 285
Meat and bone meal, 102
Meat color, 418
Meat goat, 487, 495
Meat pH, W311
Meat quality, M50, M173, M174, T335, T345, W155, W165, W314, 420, 453
Meat safety, 642
Meat tenderness, W319
Mechanistic model, 493
Medicago sativa, M102
Medicinal herbs, T256
Medicinal plants, W144
Medium-chain fatty acid, 371
Megasphaera elsdenii, T291
Melamine, W18
Melatonin, W203
Melt character, T45
Melting, 72
Membrane, T48
Membrane filtration, W65
Mendelian sampling, 40
Merino, T347
Merino sheep, 589
Mesquite, M108, M112
Messaging, T81
Met, W309
Meta-analysis, T195, T333, W277, 400, 471, 793
Metabolic disorders and reproductive performance, W5
Metabolic models, T311
Metabolic profile, T128
Metabolic status, M302
Metabolism, 696
Metabolism assay, M195, M198, T205, W146, W147
Metabolite, M225, T204, 23, 239
Metabolizable energy, 102, 672
Metabolizable protein, 122, 127
Metabolomics, M221
Metagenome, W44
Metagenomics, 577
Metaphylaxis, M124
Meter, W307
Methane, M336, T251, T256, T257, T301, T302, W244, W264, W325, 106, 108, 129, 353, 371, 373, 472, 806
Methane emissions, 372
Methane production, W274, 594
Methanogenes, W266
Methanogenesis, M203, W265
Methionine, M214, M317, M318, T298, T299, 123, 124
Methodology, T69
Metritis, W13, 49, 192
MFGM, T58
Mice, W150

- Micellar casein, M88
 Micellar casein concentrate, T74, 70
 Microalgae, T106, W249, 806
 Microarray, M145, W47, W343, 38, 42, 320
 Microbial, M276, 577
 Microbial ecology, M178, T312
 Microbial fermentation, T257
 Microbial genomics, 482
 Microbial load, W23
 Microbial nitrogen synthesis, M310
 Microbial populations, T278
 Microbial protein, M316
 Microbiology, M31
 Microbiome, 483
 Microbiota, M193, M199, T48, T265, W355, W356
 Microencapsulation, 648, 650, 652, 781
 Microfiltration, M64, T74, 70, 161, 164, 422, 426
 Microorganisms, M279
 Micro-RNA, T137
 Microsatellite DNA, W41
 Microsomes, T125
 Microwave and freeze dried, M181
 Mid-Atlantic region, 396
 MIG12, 704
 Milk, M58, M292, M330, M331, M332, M333, T50, T344, W67, W112, W250, W296, 152, 157, 178, 653
 Milk avoidance, 640
 Milk casein, T294
 Milk coagulation properties, 406
 Milk components, 14
 Milk composition, M149, M157, T57, W252, 357, 708
 Milk ejection, M155
 Milk ELISA, W7, W8
 Milk energy, 790
 Milk fat, T280, T300, W258, W297, 64, 321, 359
 Milk fat color, 635
 Milk fat composition, M136, W75, 35
 Milk fat depression, 16, 25, 324, 711, 798
 Milk fat globular membrane, W91
 Milk fat globule membrane, W69
 Milk fat percent, T240
 Milk fat percentage, T242
 Milk fatty acid, M149, M285, T282, W255, W256, W259, 355, 356
 Milk fatty acid profile, T255
 Milk fractioning, M152
 Milk leukocyte, M160
 Milk performance, T285, 360
 Milk phospholipids, W83
 Milk powder, T63
 Milk production, M158, M272, M294, M338, M339, M345, T34, T130, T250, T263, T304, W58, W140, 244, 479
 Milk protease, 657
 Milk protein, M128, T294, W45, W226, 96, 159, 160, 163, 430
 Milk protein concentrate, W82
 Milk protein synthesis, 124
 Milk quality, M59, T64, W141, W142, W143, 529
 Milk replacer, M25, W221, W222, W223, W228, W234, 572, 574
 Milk residuals, T244
 Milk revenue, W133
 Milk rumenic acid, 707
 Milk safety, 154
 Milk samples, T7
 Milk sampling, T242
 Milk shelf life, T51
 Milk standards, W141
 Milk supply, 441
 Milk urea nitrogen, M305
 Milk yield, M38, M157, M238, M249, M284, T23, T24, T38, T297, 21, 94, 348, 409
 Milk yield and composition, M313
 Milk yield response, 799
 Milking, T10, 547
 Milking frequency, M149, M151, M152, M160, T37, 549, 550
 Milking interval, T37
 Milk-lipid-globule membrane, 654
 Mineral, T92, T154, 459, 559
 Mineral balance, 724, 750
 Mineral concentration, M107
 Mineral requirement, W293
 Mineral supplementation, 726
 Mineral utilization efficiency, 724
 Minerals, M239, W292, 457, 479
 Miniature, T149
 Minorities, M355
 Minority, 497
 Mitochondria, 148
 Mixed enzyme, T289
 Mixed model, T28, 398
 Mixed rumen bacteria, W275
 Mixed sex, M53
 Mixed-grazing, T356
 Mobile nylon bag, 156
 Model, M256, T149, W233, 658, 660
 Modeling, W310, 595, 637
 Modeling system, T76
 Modified, 66
 Modified yeast extract, W3
 Moghani sheep, 521
 Moisture, M103
 Molasses, 711
 Molecular biology, 482
 Molecular chaperones, 429
 Molecular epidemiology, 17
 Molecular information, 283
 Molecular spectra, M177
 Monensin, T270, T271, T273, T274, T275, T276, T277, T279, T281, T282, 343
 Monitor, M10
 Monitoring, 401
 Monolayer, W83
 Monoparental embryos, T133
 Montbeliarde, 743
 Morbidity, M258, 297, 604
 Morphology, M159
 Mortality, W217, 601, 604
 MOS, W181
 Motilin, W281
 Motivation, 734
 Mouse, M154, 550
 Mozzarella, 72, 427, 428
 mRNA transcript profiling, 709
 MS degree, 510
 Mucosal immunity, T12
 Mucosal immunology, 643
 MUFA, M39
 Mule deer, 292
 Multi-drug resistance, M127
 Multilevel model, T244
 Multilocus sequence typing, T66
 Multi-microbe probiotic product and antibiotic, W154
 Multiple births, T41
 Multiple shrinkage, 282
 Multiple-trait, 516
 Multiple-trait animal model, 32
 Multiplex PCR, T6, T53
 Multi-strain probiotic, 676
 Multivariate analysis, W142
 MUN, M256
 Muscle, T123, W25, 304, 613
 Muscle development, 137
 Mustard meal, T259
 Mycelium, M206
 Myco-Ad A-Z, T168, W185
 Mycoplasma, 76
 Mycotoxins, 235
 Myofibrillar fragmentation, M166
 Myofibrillar proteins, 446
 Myogenesis, T121, 42
 Myometrium, W204
- ## N
- N balance, T201, W333, 367
 N loss, M256
 N retention, 132
 N use efficiency, 792
 N utilization, 716
 N volatilization, 111
 Naloxone, 246, 694
 Nano/microparticles, 651
 Nanocomposite, T203
 Nanoparticle, 423
 Nanopowdered chitosan, M82
 NaPi-IIb, W287
 National security, 272
 Native breed, W55
 Native whey, 164
 Natural antibodies, T1
 Natural clay enterosorbent, W183, W184
 Natuzyme, T184
 NDF, M101, M343, 670, 790
 NDF and ADF, W298
 NDF degradability, W119
 NDF digestibility, M91, 258, 664
 NDF digestion, W299
 Near infrared reflectance spectroscopy, M107, 102
 Near infrared spectroscopy, 778
 Needs assessment, 186
 NEFA, M126, W245, 605, 606
 Nellore, M163, M251, W28
 Nellore cattle, M45
 Nellore steers, T317
Neocallimastix patriciarum, W305
 Neonatal calf, T113, T114
 Neonatal swine, 331
 Neonate, 538, 539, 643
 Nest, W351
 Net energy, 338
 Net merit, 279
 Neural network, T42
 Neutral detergent fiber, M91
 Neutral detergent soluble carbohydrates, M287
 Neutrophil, T4, 193, 194
 Neutrophil killing, 192
 NFDm, W90
 N-fixation, 299
 NH₃, M123
 Niacin, T241, 157, 584
 Niacin receptor, 583
 Niashure, T241
 Niche markets, 498
 Nicotinic acid, W245, 582, 583
 Nigeria, W138
 Nigerian goats, W41
 9-11th rib section, T109, T110
 NIR, M90
 NIR calibration, M89
 NIRS, 101
 Nisin, M76
 Nitrate, 630
 Nitric oxide, W204
 Nitrogen, M123, M252, M336, W310, 253, 300, 370, 765, 766
 Nitrogen balance, M204, T326
 Nitrogen capture, 761
 Nitrogen excretion, M304
 Nitrogen losses, M303
 Nitrogen metabolism, M304
 Nitrogenous compounds, W130
 Non-casein nitrogen, W88
 Non-coagulating milk, 406
 Nonesterified fatty acids, 92
 Nonfat cheese, 435, 437
 Nonfiber carbohydrate, W268
 nongenomic, 562
 Nonlinear mixed model, T193, 303
 Nonlinear models, W129
 Nonprotein nitrogen, M307, M309
 Nonstructural carbohydrates, M301, W256
 Nonthermal browning, T43
 Nontraditional careers, 512
 Novel endophyte fescue, T86
 Novel endophyte-infected tall fescue, 758
 Noxious gas emission, W163
 NRC (2001) chemical approach, 57
 NRF, 745
 NSP, M186
 Nucleoside transport, 485
 Nucleotide, M25, W230
 Number of QTL, 284
 Nursery, 333
 Nursery pigs, M178, W177, 683
 Nutraceutical, 421
 Nutraceutical delivery, 651
 Nutrasaff safflower seed, W259
 Nutrient availability, W184
 Nutrient composition, M200
 Nutrient cycling, 299
 Nutrient digestibility, T289, T316, 129
 Nutrient digestion, W252
 Nutrient flow, M306
 Nutrient management, 394
 Nutrient metabolism, W278
 Nutrient synchrony, T326

Nutrient uptake, T200
Nutrient utilization, T188, W168, W186
Nutrient-gene interaction, T129, 485
Nutrient-mineral relationships, M200
Nutrients, 641
Nutrition, M224, T136, T308, 206, 234, 294, 507, 660, 729, 794, 798, 811
Nutrition education, W98
Nutritional physiology, M353
Nutritional value, T96
Nutritive utilization, M184
Nutritive value, T93, W329, 98, 103, 225
Nylon bag, W301

O

Oat meal palatability, M15
Oats, T321, 363
Obesity, T135, 289
Obestatin, 697
Odd and branched-chain fatty acids, M316, W246
Odor, M186
Odor gas emission, W158
Off flavors, W85
Oil seed meals, 681
Oligopeptide, 319
Omasum, 801
Omega-3, T46, 53
Omega-3 fatty acid, T161, T332
Omnigen-AF, T12, 192
On-farm processing, 170
On-farm tool, 530
On-line, 532
Oocyte, W203
Oocyte competence, 692
Optical sensors, 424
Optigen, M307
Optigen® II, M309
Oral rehydration, W357
Orange pulp, 591
Organ, M188
Organic, T89, 149, 375, 376
Organic acid, T183, W144, W145, 684
Organic corn, W114
Organic trace mineral, T299
Orthogonal polynomials, M47
 γ -Oryzanol, 775
Osmolyte, 185
Osteopontin, T3
Outdoor, W358
Outdoor pig production, W216
Outreach, W9
Ovarian activity, 518
Ovarian follicular dynamics, M223
Ovariectomy, M147, M156
Overnutrition, 700
Ovsynch, M119, T218, W190
Ovulation, 79, 694
Oxidation, W68
Oxidative status, 725
Oxidative stress, M18, T140, 527
Oxygen consumption, W277
Oxytocin, M155
Ozone, W289

P

P balance, T287
P4, T218, 188
PAG, 80, 241
Pain medication, 380
Palatability, M210, W232, W233, 328, 352, 506, 575
Palbio, W228
Palm kernel meal, 105
Palpation, 174
Pancreatic carboxypeptidase B, T171
Paneer, 440
PAP, T273, T275, T276, T277
Paper glue, 430
Papillae, T277
Parasite, M30, T354, T357, T359, 495
Paratuberculosis, W7, W8
Parental verification, W52
Parity, M330, W220, 537
Parmesan, T43
Partial budget, M286
Partial pressure of H₂, 581
Particle size, M103, M339, 365, 683
Parturition, 18
Passive transfer of immunity, M35
Pasteurization, 155
Pasture, T21, T164, W140, 50, 115, 135, 765, 797
Pasture forages, T88
Pasture grazing, W35, 795
Pasture quality, 373
Pasture-based dairy, T83
Pathogen, T47, W289
Pathogen detection, T6, T53
Pathogenic bacteria, T10
Pathogenicity, T79
Pathogens, 190
Pax7, 311
Paylean, 684
PCR, W266
PCR-RFLP, W43
PCR-TTGE, M61, M62
Peanut skins, W330
Pearl millet, T95, W114
Peas, M201
Pecorino Siciliano cheese, M62
Pectin, W334
Pedigree, W59
Pediocin, T54
Pedometer, 243
Pedometry, 382
PEF, T59, T60, T62
PEG, M335
Pen type, T182
Penicillium spp., M86
Penning, W224
Pennisetum purpureum, W121
PepT1,b0,+ , M135
Peptide nitrogen, M310, M311
Peptides, W84
Perennial forage kochia, T91
Performance, M110, M198, M264, M271, M334, T258, T276, T289, T345, W146, W172, W177, W182, W235, W238, W247, W330, 219, 410, 470, 586
Performance traits, 414
Periparturient, M325

Periparturient cows, M325
Periparturient period, W5
Persistent follicle, W190
Pest monitoring, W97
Pet food, 204
Pet supplements, 207
Petrifilm, T63
PGF2 α , 465
pH, M259, T179, T284, W88, 60
Phagocytosis, M36
Phenol compounds, M283
Phenolic, M133
Phenolic acids, 804
Phosphate buffer, W265
Phospholipids, T70, W65, W74, W87
Phosphorous, T178
Phosphorus, 156, 395, 554
Phosphorus absorption, W287
Phosphorus excretion, T195
Phosphorylation, M161
Photoperiod, M116
Phylogenetic analysis, M86
Physically effective fiber, M329, 793
Physicochemical properties, M85
Physiological evaluation, M224
Phytase, M208, M213, T173, T175, T179, T187, T287
Phytase activity, T181
Phylogenetic, 675
Pichia methanolica, 265
Pichia pastoris, T166, T170, T171
Piece-wise polynomials, M46
Pig, M122, M179, M180, M187, M189, M196, M197, M199, M201, M202, M213, M227, T168, T185, T186, T187, T192, T193, T195, T203, T206, W62, W136, W162, W167, W180, W181, W344, W358, 4, 6, 96, 97, 99, 100, 104, 105, 191, 218, 225, 226, 228, 236, 237, 266, 269, 271, 303, 313, 314, 332, 333, 337, 412, 415, 420, 449, 450, 554, 558, 559, 560, 674, 678, 679, 680, 684, 731, 732, 733, 776, 779, 780
Pig health, W23
Pig IgG concentration, 331
Pigeon-pea, W329
Piglet, M198, M210, T111, T177, T180, W148, W151, W171, W174, W343, W357, 199, 219
Piglet performance, W153, W154
Piglet survival, 416
PL10, W53
Placenta, T133
Plant cell wall degradation, T290
Plant extract, M258, T255, T258, 470, 471, 568
Plant oil, M223
Plant secondary metabolites, 505
Plasma, W227
Plasma analytes, 614
Plasma metabolites, 520
Plasma urea nitrogen, M308
Plasmin, 657
Pleurotus, M104
pLH, M119
Pneumonia, W230, 574
Polioencephalomalacia, 631
Polymerase chain reaction, T67
Polysaccharide, 197
P-one program, M322
Population data, 397
Porcine, T166, T170, T171
Porcine lactoferrin N-lobe, 265
Porcine pathogens, 676
Porcine preadipocytes, W337
Pork, T186, 418, 446
Pork fat, 778
Pork quality, 447, 448
Portal absorption, W280
Portal-drained viscera, W277
Post-differential correction, T353
Post-doctoral training, 513
Postpartum beef cow, 463
Postpartum cows, M302
Posture, M5
Postweaning gain, M51, 515
Postweaning female pig vulva size, W183
Potato co-products, 12
Prebiotics, 644
Preactalving, 605
Preactalving diet, 606
Precision feeding, 789
Predicted transmitting ability, M56
Prednisolone, T15
Preference, 298, 575
Preference testing, 736
Pregnancy, T216, W2, W191, 174, 238
Pregnancy rate, 94, 350, 469
Pregnancy specific protein-B (PSPB), 174
Pregnancy test, 80
Pregnant beef heifers, T314
Pregnant gilts, T121
Premature luteolysis, W189
Prenatal, T126
Prepartum energy intake, 709
Prepartum nutrition, T329, 137
Prepartum supplementation, M236, M238
Preparturient, W241
Pre-slaughter, M6
Pre-stun, 730
Presynchronization, T209
Pre-synchrony, W190
Preterm, T113
Prevalence, T10
Prevention, 273
Price risk, W102
PRID, 238
Primiparous dairy cows, 350
Primordial germ cells, W207
Principal component analysis, 284
Prion protein gene, T352
Proanthocyanidin-containing alfalfa, M96, M97
Probiotic, M33, M79, T55, T58, T59, T60, T61, T62, T69, T177, T181, T271, W73, W74, W163, W167, W169, W174, W349, W350, 158, 524, 526, 527, 587, 643, 644, 645, 647, 649, 650
Probiotics complex, W165
Process cheese food, M57
Processed cheese, M65

- Processing aids, 422, 750
 Prochymosin, W92
 Producer education, W111
 Product recall, 642
 Production, 176, 340, 682, 746
 Production disease, W1
 Production performance, M191
 Production practices, 638
 Productivity, 178, 391
 Products, 748
 Profit, 399
 Profitability, W35, W101, 799
 Profitability measurement, W1
 Progesterone, M129, M225, M229, T209, T211, T219, T223, T228, T234, W194, W196, 83, 183, 238, 240, 241, 465, 467, 629
 Progesterone clearance, 693
 Progesterin, 461, 462, 463
 Programming, 443, 534
 Prolactin, W58, W206, 547
 Proliferation, 180
 Prolificacy, T29, W55
 Promoter, M138
 Propionate, M218
 Propionate ammonium, W126
 Propionate precursors, W264
 Propionic acid, W126
 Propylene glycol, T281
 Prostaglandin, M253, T233, W197
 Protein, M73, T30, T243, T324, W238, 107, 134, 162, 165, 227, 248, 287, 436
 Protein and amino acids, M184
 Protein and carbohydrate fractions, M97, T103
 Protein carbonyl, T140
 Protein degradability, M261, W273
 Protein denaturation, 424
 Protein deposition, T193
 Protein fermentation, W301
 Protein fractionation, M340
 Protein fractions, W209
 Protein load, T71
 Protein metabolites, 290
 Protein quality, 285
 Protein recovery, 422
 Protein solubility, W66
 Protein source, W221, 332
 Protein structure and amide I to II ratio, M177
 Protein supplementation, 799
 Protein synthesis, M150, M153, 304
 Protein:energy ratio, W333
 Proteinic enrichment, M111
 Protein-polysaccharide conjugates, W72
 Proteins, M248, 653
 Proteolysis, M64, W79, W93, 446, 452, 655
 Proteomics, T313
Prototheca zoopfi, T8
 Protozoa, W257
 Proximate analysis, M181
 Przewalski horse, T88
 Psoriasis, T2
 Psychotropic bacteria, T51, W93
 Puberty, 306, 307, 517, 689
Puccinia polysora, 663
 PUFA, 362
 PUN, M228
 Purebred, M114
 Purine analysis, 807
 Purple prairie clover, M92
 Pyruvate carboxylase, M138, 85
- Q**
 QPCR, M141
 QTL, T127, W42
 QTL effect, W48
 Quail, M211, W214
 Quality, 229, 230
 Quantitative genetics, 623
 Quantitative magnetic resonance, T111
 Quantitative real-time PCR, W205
 Quantitative trait, W39
 Quantitative trait loci, 281
 Quarantine zones, 274
- R**
 R package, W59
 Rabbit, M203
 Ractopamine, T305, W352, 310
 Ractopamine vs. chromium, W187
 Ram, W57
 Rambouillet, T347
 Random regression, M41, T18, T24, W62, 407
 Random regression model, 403, 404
 Rapeseed, M189, W250
 Rapid analysis, M75
 Rapid chilling, 448
 Rapid measurement, 753
 Rare earth elements, W294
 Rat, W203
 Rate of digestion, 476
 Rationalism, 27
 Raw milk, T47, 150, 153
 rbST-free, 149
 rDNA operon, T56
 Real-time PCR, M319, W268, 76
 Receiving cattle, 24
 Receptor, W189
 Recombine porcine Lactoferrin-N(rplfn), 198
 Reconstituted milk, M84
 Rectal temperature, W4
 Recto-anal junction mucosal, T269
 Recycling, 366
 Red clover silage, 792
 Redox potential, W303
 Reduced fat, W81, 425, 438
 Reference gene, M141
 Regional effect, T38
 Regulation, 204
 Regulatory, 208
 Relative economic weight, W99
 Remodeling, 75
 Rennet, 749
 Renneting, 433
 Renneting pH, M72
 Replacement heifers, T128, W238
 Rep-PCR, 522
 Reproduction, M43, M236, M237, M249, T220, W47, W194, W248, W341, 2, 4, 222, 244, 264, 348, 409, 441, 561, 629, 659, 727, 763, 785
 Reproductive capacity, W339
 Reproductive performance, M209, T197, 349
 Reproductive traits, W188, 54
 Requirement, W345, 224
 Requirements systems, T327
 Research, M354, 514
 Research and extension needs, 809
 Residual, W18
 Residual beta-cyclodextrin, M83
 Residual feed intake, M49, T312, T314, 33, 129, 308, 410, 411, 412, 613, 614, 616, 617
 Resistant starch, W77, W78
 Respiratory disease, 608
 Restricted feeding, M139
 Restriction, 443
 Resynchronization, M254, T222, 241, 242
 Retail measurements, T151
 Retained placenta, 18
 Retentate, W88
 Retention, 71
 Retention time, W267
 Reticular temperature, T245
 Retinal scanning, 489
 Retrogradation, 364
 Revenue insurance, W102
 RFI, 130
 Rheological properties, 65
 Rheology, M71, T75, 437
 Ribotyping, T56
 Risk factors, 605, 606
 Risk management, W102
 RNA extraction, T50
 Road transportation, W311
 Roasted canola seed, M301, W256
 Romosinuano, 451
 Rooster, M190
 Ross broiler, W144
 Rotational grazing, M285
 Rotational stocking, T87
 Roughage, T338, 251
 Roughage delivery, T318
 Roughage supplementation, T334
 Roughage to concentrate ratio, M289
 RQ, W283
 16S rRNA, T9
 Rubber mats, 618
 Rumen, M262, T253, T290, T328, W266, 116, 577, 587, 645, 712, 806
 Rumen ammonia, M308
 Rumen bacteria, M327, W269
 Rumen bacteria diversity, T286
 Rumen bypass, M128, T102
 Rumen degradable protein, M252, M308
 Rumen epithelium, M121, 62
 Rumen fermentation, M295, T251, T259, T296, W246, W270, W271, W272, W276, 138, 472, 477
 Rumen function, 761
 Rumen lipopolysaccharide, 16
 Rumen metabolism, T304
 Rumen metabolomics, 607
 Rumen microbial profiling, 483
 Rumen microflora, W44
 Rumen parameters, T281
 Rumen pH, 58, 125, 223, 795
 Rumen protein degradation, 802
 Rumen protozoa, 580, 592
 Rumen temperature, 687
 Rumen undegradable protein sources, 181
 Rumen-protected choline, W296
 Rumen-protected fat, W260
 Rumen-protected lysine, T294
 Rumen-protected methionine, 478
 Rumen-protected niacin, T241
 Rumensin, T280
 Ruminant acidosis, M321, T265, 58, 90
 Ruminant ammonia, T272
 Ruminant and total tract digestion, 261
 Ruminant artery and vein, M257
 Ruminant degradation, T106
 Ruminant environment, M273
 Ruminant epithelia, 90
 Ruminant fermentation, M130, M277, T285, T303
 Ruminant flora modulation, T292
 Ruminant metabolism, M312, M314, W244
 Ruminant nitrogen, 122
 Ruminant pH, T260, T272, T317, T318, T319, 50, 578
 Ruminant protection, T295
 Ruminant protein degradability, M289
 Ruminant protozoa, T99, 56
 Ruminant redox potential, 581
 Ruminantly degradable protein, M306, T98
 Ruminant, M133, M270, M282, W280, W286
 Ruminant fat, 638
 Ruminant nutrition, W282
 Rumination, M281, W306
 Rumination time, M290
Ruminococcus albus, W268
 RUSITEC, W267
 Ryegrass, 761, 762
- S**
 S14, 704
 SAA, T120
 Saanen goat, T346
 Saanen kid, 593
Saccharomyces cerevisiae, T268, 588
Saccharomyces cerevisiae fermentation product, 191
 Safety, 205
 Safflower seed, 352
 Sainfoin, M335
 Salinity acclimation, 570
 Salinomycin, T283
 Salmonella, 217
Salmonella, T77, T183
Salmonella challenge, 191
 Salt, W86
 Salt reduction, M68
 Salty taste, W86

- Sanguinarine*, W170
 Saponin extract, T303
 Saponins, W212
 SARA, M319, M320, T292
 Sarcomere length, 452
 Sardo cheese, 754
 Satellite cells, 311
 Satural anthelmintic, T359
 Science, 28
 Scorecard, M37
 Scrapie, T352
 Screen, 216
 SDS, 492
 Season, M4, T92, 732
 Seasonal calving, 744
 Seasonal shedding, 211
 Seasonality, 266, 692
 Security, 154
 Seed sprouts, W337
 Selection, T308, T309, T310, 128, 232, 599
 Selection index, 94
 Selenium, W202, 48, 602, 685, 722, 723
 Selenium yeast, T202
 Selenium-yeast, T204
 Self-assembly, W84
 Self-fed, W29
 Semen, T332, W135, W202, W263
 Semen quality, M21, T42
 Semi-arid region, W336
Semimembranosus, T157, T158
 Seminar, M353
 Sensory, T162
 Sensory analysis, T151
 Sensory characteristics, 329
 Sensory function, 801
 Sensory profile, T45
 Separate sex, M53
 Sequence, T122
 Sericea lespedeza, W313
 Serotonin, 552
 Serotonin reuptake transporter, 552
 Serotype, T77
 Sertoli cells, 263
 Serum, M221
 Serum lipid, T165
 Serum protein, M34, M88, T73, 426
 Serum proteins, 161
 Service rate, 391
 Set yogurt, W71
 Sexed semen, M247, T36
 Sexed-biased semen, M246
 Sexual differentiation, 563
 Sexual partner preference, 563
 Sexually dimorphic nucleus, 563
 SGLT₁, W282
 SGLT₁, 268
 SGLT₁/GLUT2, W347
 Shade, M165
 Shall sheep, W43
 Shear force, M166, 586
 Shearing, T341
 Sheep, M30, M110, M111, M242, T115, T138, T348, T357, W56, W312, W315, W317, W319, W326, W328, 374, 489, 491, 494, 506, 539, 540, 686, 801
 Sheep milk, M81
 Sheep recording, 488
 Shelf life, W76
 Shelter, 288
 Shrubs, 672
 Silage, W114, W116, W117, W118, W122, W125, W126, W130, W212, 214
 Silage corn, T338
 Silage inoculant, 665
 Silvopastoral, W210
 Silvopastoral systems, W209
 Simmental, M163
 Simulation, T94, T236
 Simulation modeling, W309
 Single nucleotide polymorphism (SNP), W49, 5, 43, 278, 280, 627
 Single nucleotide polymorphism validation, W51
 Sires of sons, T39
 Sirt1, 313
 Site of digestion, 476
 Size reduction, 650
 Size-exclusion chromatography, 556
 Skeletal muscle, T131, T141, T142, 42, 146, 231, 442
 Slaughter, M7
 Slaughter weight, M162
 SLC44A3 gene, 418
 Slick-haired calves, 564
 Slow-release NPN, 368
 Slow-release urea, M309, 367
 Small intestine, M25, 199
 Small peptide, W331
 Small peptides transporter II, 319
 Small ruminant, 51
 Smart Nose, M60
 Snow, 61
 SNP, M26, M32, M125, M137, W52, 39, 44, 200, 277, 524, 599, 625, 632, 634
 Social, M10
 Social behavior, M14
 Social indicators, M120
 Social interaction, 413
 Social networking, 535
 Socioeconomic implication, 445
 Sodium bicarbonate, M323, T288, 47
 Sodium caseinate, W72
 Sodium diacetate, M346
 Sodium reduction, W86
 Sole feed, 569
 Solid state fermentation, M342
 Somatic cell count, M160, T1, T57, T343, W40
 Somatic cell score, T28
 Somatotropic axis, M235, 292
 Somatotropin, T225
 Sorghum, 177, 252
 Sorghum forage BMR, W119
 Sorghum silage, M250
 Sorting, M328, W240
 SoTL, M350, 144
 Southern Great Plains Dairy Consortium, 502
 Sow, M20, M116, M192, T197, W148, W338, W351, 3, 673, 675
 Sow colostrum IgG concentration, 331
 Sow housing, 736
 Sow productivity, 416
 Sow replacement, 55
 Soy, W89
 Soy feeding, W285
 Soybean, M189, T325, T328, 335
 Soybean hulls, W124
 Soybean meal, 336, 478
 Soybean oil, W253, W297, 592
 Soybean protein, W226
 Soybean small peptides, M142, T340
 Spanish, W105
 Spanish education, W107
 Spatial distribution, T82
 Specificity, 432
 Sperm, M248, W57, 53, 148, 787
 Spherulites, W80
 Splicing, W206
 Spot14, T135
 Spray-dried milk powder, M66, M85
 Spreadability, 440
 Stability, 66, 781
 Stable isotope, W278, W284
 Stable isotopes, 780
 Standardized ileal amino acid digestibility, 337
Staphylococcus aureus, M127, T11, T76, 17, 553
 Starch, M201, M274, M298, W123, W276, W334, 73, 79, 364, 791
 Starch fermentability, 480
 Starch infusion, M300
 Starch supplementation, M302
 Starter feeding program, T196
 Starter pigs, 334
 Static fermentation systems, T292
 Statistical process control, 400
 Statistics, 401
 Status mineral, W336
 Steam flaked corn, 251, 364
 Steam-flaking, 683
 Stearoyl coenzyme A desaturase (SCD), M125, M243, W50, 405, 634
 STEC, T79
 Steer, T320, W284, W295, 133, 254, 808
 Steer performance, M268
 Steers, T316, 252, 454
 Stem cells, W207
 Sterilization, W68
 Steroidal saponin, W275
 Stewardship, M37
 Stillbirths, 742
 Stillborn, 269
 Stochastic simulation, 659
 Stocker cattle, T90, 759
 Stocker grazing systems, 758
 Stockers, 764
 Stocking density, W164
 Stocking rate, T83, W216, 763
 Stocking strategies, 299
 Stockpiled tall fescue, 301
 Stock-type horse breeds, T144
 Stopping rules, 565
 Storage, M76, M82, M260, M344
 Storage temperature, W64
 Strategic plan, W9
 Straw, M288, 184
Streptococcus thermophilus, 525
 Stress, 194, 387, 388, 617, 702, 731
 Stress reactivity, T118
 Stress response, 523
 Strip grazing, T89
 Structure-function relationship, 65
 Student, 139, 497
 Subacute ruminal acidosis, M291
 Subclinical laminitis, 390
 Subcutaneous adipose tissue, 709
 Subcutaneous fat thickness, T108
 Substrate regulation, T129
 Subtyping, T66
 Success, 514
 Sucrase-isomaltase, M217
 Sugar beet pulp, T316
 Sugar cane, M342
 Sugar grass, M336
 Sugarcane, M98, M99
 Sugars, M89, M102
 Sulfur, 255, 256, 631
 Sulfur hexafluoride tracer gas technique, 372
 Summer pasture, T95
 Sunflower seed, W320
 Supercritical carbon dioxide, T70
 Supercritical fluid extraction, W65
 Superovulation, M247, T35, T229, W134
 Superstimulation, T223
 Supplement, 204, 508
 Supplemental fat, W251, 355
 Supplemental zinc, W291
 Supplementation, M313, T90, 8, 48, 50, 136, 206, 300, 760, 784, 785
 Supplementation frequency, 131
 Supplements, T94
 Survey, M136, T156, W10, W75, W103, W104, 186
 Survival, 538, 539
 Sustainability, M37, M120
 Sward structure, T87
 Sweet taste receptor, W348, 769
 Swine, M31, M206, T132, T183, W60, W61, W341, W353, W354, W355, W356, 209, 217, 270, 330, 411, 682, 729, 737, 775, 777, 810, 811
 Swine carcass, W346
 Swine manure, 812, 813
 Swine offspring, 536
 Switchgrass, 759
 Synchronization, T210, T211, T212
 Syneresis, W71
 Synergism, W269
 System, 401
 Systems, 230, 376
 Systems biology, 486
 Systems research, 374
T
Taenia hydatigena, M176
 Tag readers, W108
 TAI, 247
 Talc, W155
 Tall fescue, M257
 Tannins, M93, M106, W273
 Tasco, M255
 Tasmanian crossbreds, 520
 Taste, W233
 TBARS, 447, 456

TDN, 9
TDN and energy values, M96
Tea saponin, 592
Teachers, 139
Teaching, M351, M354, 142, 143, 503
Teaching laboratory, 500
Teasing, T349
Teat end, 548
Technique, M5
Technology, 1
Teeth, 735
Temperament, M9, 130, 415
Temperate pasture, 579, 805
Temperature, 24, 264
Temperature monitoring, T245
Temperature rhythm, W4
Tenderness, M117, M167, 628
Tenure, 514
Test-day, T19
Test-day model, T18, T130, T244, 783
Testes, 263
Testis, W46
Tests, 737
Texture, M57, 434, 435, 437
TGF-beta, T123
Theca cells, W200
Thermal inactivation, M176
Thermography, 774
Thermostability, T179
Thiol-disulphide, 423
Threonine, T184, 224
Threshold models, 30
Thyroid hormones, T339
Thyroxine, M242
Tibetan pig, M135
Tick, 612
Tifton 85 bermudagrass, W110
Tight junction, 287, 552
Timed AI, 466, 787
Timed insemination, T228
Tissue culture, M144
TLR4, T4
TMR mineral content, W293
TMR particles, 126
TNC, M100
TNF, 705
TNF α , M216
TnT, 452
Tocopherol, M172
Toll-like receptor, 84
Tomato pomace, M284
Tongue color, M27
Total bacteria count, T68
Total mixed ration, M344, M345, M346
Total nonstructural carbohydrates, T330
Total protein, 602
Toxicity, 630
Toxicosis, M19
Trace elements, 458
Trace mineral, W295, 315, 725, 727
Trace mineral complex, 555
Traceability, T169, 489, 555, 556
Trait development, 6
Trans, T156

Trans FA, W242
Trans vaccenic acid, W243
Transcriptome, T44
Transcriptomics, 289, 321, 486, 551, 690
Transforming growth factor β 1, 75, 180
Transition, T319, 584, 718
Transition cow, M126, 23, 88, 92, 703, 710
Transition period, M232, 341, 347
Translation efficiency, M115
Transponder, T358, 488
Transport, 218
Transportation, 387, 388, 732, 768
Transporters, 721
Treatment, 603
Trenbolone acetate, 369
Trends, M43
T-RFLP, M319
Trial design, 400
Trifluoromethanesulfonic acid, T167
Triiodothyronine, M242
Triticale DDGS, T101
Trophoblastic vesicle, 188
Tropical, W61, W133, W135
Tropical adaptation, 451
Tropical environment, W132
Tropical pasture, M312, M313, M314, T87, W261
Tropical pigs, 221
True digestible lysine, W345
Trypsin inhibitors, 335
Tumor necrosis factor, 695
Tumor necrosis factor- α , M32
Twining rate, 636
Tylosin, W186

U

Udder health, T22
Ultrafiltration, 68, 69, 165, 750
Ultrasonography, T230, T233, W199
Ultrasound, W308
Ultrasound technology, 449
Uncertain paternity, M40
Undergraduate, M352, M355
Undergraduate education, M347, 501
Unsaturated fat, 339
Unsaturated fatty acids, M245
Urea, T296, T325, W124, 366, 368
Urea recycling, 122
Urea-N recycling, T98, T99, 56
Urease, W304
Urec diversity, W44
Urination, M16
Urine, 114
Urine capture, 115
Used CIDR, 469
Uterine disease, 49
Uterine health, M223
Uterine pH, 688
Uterus, 362
UTR, M115

V

Vaccenic acid, M63, T337, 754
Vaccination, 389
Vaccine, M55, T14, 494
Vaginal temperature, W4
Value added, 170
Values, 28
Vanilla, W231
Varamini ewes, W291
Variance, 419
Variance components, 30
Veal calf, T100
Vegetable oil, 440
VFA, T291
Viability, M176, W208
Villus, M185
Virginiamycin, T278
Virulence factors, 196
Visceral adipose tissue, 120
Visualization, 281
Vitamin A, 585
Vitamin B₁₂, T192
Vitamin D, M164, 71, 84, 585, 719
Vitamin E, M30, T153, W57, W297
Vitamins, M84
Volatile compounds, M67, W112, 506
Volatile fatty acids, M312, T272
Volatile recovery, M67
Voluntary intake, M109

W

Warm season, T225
Water, 600
Water quality, M250, 809
Watson-Glaser, 496
WBSF, M163
Weaned piglet, W152, W170, W173, W342, 677
Weaned pig, W172
Weaning, M36, T199, W30, W353, W357, 735
Weaning age, W229, W231
Weaning calves, T286
Weaning pig, T176, T182, W158, W159
Weaning weight, W34
Weaning-to-first-service interval, W61
Weanling pig, M182, M204, M217, T143, T188, T196, W168, W340
Weanling piglet, W175
Webinar, M353
Weight, W54
Welfare, M8, M28, W12, 345, 379, 530, 567, 598, 618, 736, 768
Western Canada, 668
Western pleasure, T144
Wet corn gluten feed, 177
Wet distillers grains, M259, M260, T153, T154, 257
Wet distillers grains plus solubles, M263, 254

Wheat, W241
Wheat dried distillers grains with solubles, T105
Wheat gluten protein, W227
Wheat pasture, 764
Wheat straw, M260, W302
Whey, 161, 162, 165, 166, 421, 748
Whey protein, M88, T71, T72, T73, W85, W95, 66, 69, 163, 423, 751
Whey protein concentrate, M76, W82, 425
Whey solids, 752
White corn, T320
Whole fish, M200
Whole milk powder, M74
Wild ginseng adventitious root meal, W156
Willingness-to-pay for U.S. pork, W352
Wilting, M105
Winter grazing, 301
Winter pasture, T315, T336
Wool, T347, W326, 519
Wool growth, 589
Wool quality, 520
WP/ κ complexes, 749
WPN, W90
Writing, 139, 142
Writing assignments, 141

X

Xanthine oxidoreductase, 654
Xylanase, M213, W137, W305, 680

Y

Yak, W31
Yeast, T262, W22, 190, 590
Yeast culture, T260, T269, W153, 158, 372, 477, 673, 674
Yeast fermentation, W173
Yellow-seeded canola, 98
Yield, 427, 431
Yogurt, T61, W63, W77, W78, W79, W89
Young bulls, T157
Youth education, W98

Z

ZAD, 591
ZADO, 138
Zearalenone, W183, W184, W185
Zebu, M40
Zebu beef cattle, M48
Zeolite, M323
Zilpaterol, 586
Zinc, W290, W292
Zinc amino acid complex, 293
Zinc arginine, T194
Zinc sulfate, W213, W291
Zoonotic pathogen, 813